

MERLYN™
The Collection

it's all about the experience

JANUARY 2022

MERLYN™

Have you checked?

Did you know the shower is considered the ideal place to check for any lumps or changes in our breasts?



MERLYN[™]

The Collection



Contents

about.

The Collection	1
Welcome to MERLYN	3
MERLYN Customer Service	4

products.

10 Series	8
MERLYN Black	16
8 Series Frameless	32
8 Series	44
6 Series	56
MBOX	68
Versa Wetroom Panels	86
Bath Screens	94
TrueStone Trays	99
Level25 & Level25-SR Trays	101
Touchstone & Touchstone-SR Trays	105

technical information.

Product Information	109
---------------------	-----

the collection

It's all about the experience

Made up of shower enclosures, trays and bath screens, the MERLYN Collection is all about providing the ultimate showering experience – from the smooth running of the shower doors to the beautiful and elegant design and the quality of fittings.

MBOX

Smart & Elegant



Carefully selected to offer excellence in design, durability and affordability. Comes with pre-assembled fixtures making it easier to fit.

- Height 1900mm
- 6mm toughened safety glass
- 10 year Guarantee
- Sprint is now MBOX ✓

6 | series

Affordable Quality



A beautifully styled product range with smooth and soft rolling action.

- Height 1900mm
- 6mm Glass Thickness
- Lifetime Guarantee

8 | series

Style & Functionality



This product range is all about the feeling. With robust rolling action and a beautifully crafted sleek framed style.

- Height 1950mm
- 8mm Glass Thicknes
- Lifetime Guarantee
- Standard Series 8 Showerwall is retired X



8 | series

frameless

Elegantly minimalist



Considered the most beautiful frameless 8mm product range. With stunning design symmetry of unique one-piece hinge and towel rail handle, offering maximum access.

- Height 2000mm
- 8mm Glass Thickness
- Lifetime Guarantee
- Sliding Door is retired **X**

MERLYN™ | BLACK

Back to Black



A favourite among Interior Designers and customers seeking a modern look. With its anodised matte black finish.

- Height up to 2000mm
- 8mm Glass Thickness
- Lifetime Guarantee

10 | series

Exquisite design



Exquisite, towering 10mm product range. Balance of beauty and movement giving the user a sense of pure luxury.

- Height 2000mm
- 10mm Glass Thickness
- Lifetime Guarantee
- Series 10 wetrooms rebranded Versa | 10 **✓**
- Series 10 Pivot is retired **X**
- Series 10 Black Glass is retired **X**

WETROOM PANELS

Versa | 8 replaces Ionic wetrooms
Versa | 10 replaces Series 10 wetrooms

versa|10 **✓**

Luxury design



New

versa|8 **✓**

Flexibility for your Space



New



MERLYN™

it's all about the experience

We've built our name and reputation on a simple ethos – to deliver on everything we promise to our customers.

This is because you are at the heart of everything we do. We have a relentless desire to deliver the highest level of attention to detail.

Our award-winning customer service department – and the wider MERLYN team live this ethos every single day.

We're passionate about innovation, quality and design, and this is reflected throughout our ranges. Our unique approach has resulted in us becoming the No.1 shower enclosure brand in the UK and Ireland. When you choose a MERLYN shower you are investing in one of the world's most luxurious showering environments and you get the added peace of mind of our Lifetime Guarantee.

Thank you for choosing MERLYN.

The MERLYN Team



Follow us online @merlynshowering to keep up to-date.





Award-Winning Customer Service

It is not about what we do but what we can do for you. We promise we will always be there for you at any stage of your journey with MERLYN. We have a genuine commitment to service and to finding a solution for you. Our specialised team's philosophy is to make everything easy for you and we will respond immediately to any request you might have.

We strive everyday to make excellence a habit. Contact our award winning dedicated team of specialists, who are on hand to give you a personalised solution to your query.

Phone Number 056 779 1555 | WhatsApp 00353 86 010002 | Online: sales@merlyn.ie

Download our brochures.

Find your nearest stockist.

Download our easy-to-use fitting instructions and technical information.

Register your Guarantee.

Check out our website: www.merlynshowering.com

MERLYN trays

The MERLYN tray collection offers a broad range of trays to suit every budget, from mid level to premium. We pride ourselves on being able to offer our customers quality manufactured products, the perfect complement for your Series shower enclosure backed up by outstanding customer service. Many of our trays feature a lifetime guarantee.

The shower trays featured in this brochure are our recommendations to compliment the Series range. To view our full range of trays, please visit www.merlynshowering.com

We have retired MStone and Upstand trays. X

PREMIUM

TRUESTONE®



LEVEL25^{SR}



Ultra slim 25mm low level tray can be fitted on or level with floor

- 15 sizes available in 5 different colours

- Double Skinned
- 25mm Sleek
- Fitted or level to floor
- 21 sizes available

LEVEL25[®]



- Double Skinned
- 25mm Sleek
- Fitted or level to floor
- 30 sizes available

TOUCHSTONE-SR



- Single Skinned
- 50mm High
- Fitted or level to floor
- 30 sizes available

MID - LEVEL

TOUCHSTONE®



- Single Skinned
- 50mm High
- Fitted or level to floor
- 43 sizes available



 TRUESTONE®

THE ULTIMATE TRAY EXPERIENCE

Beautifully handcrafted and ultra-low slate trays, elegant in appearance and luxurious to touch. With 5 finishes to choose from. These trays will bring an element of natural beauty and a truly designer finish to your bathroom.


Choose your Color



Graphite



Sandstone



Black




Fossil Grey




White

Choose your Shape


Rectangular Tray



Square Tray



Quadrant Tray



Offset Quadrant Tray



Left Handed (L) Right Handed (R)
This product is handed. Please choose L for Left or R for Right when ordering.





10 | series

This range is the flagship of the MERLYN

Series 10 Collection, it exudes the very finest in style, luxury and quality. These beautifully designed solid doors can be personalised to suit any space and design requirements.

Why choose 10 Series?



Up to 10mm glass

Adding to the quality feel of this range, 10 Series products are manufactured using up to 10mm toughened safety glass.

Towering glass height

With up to an impressive 2100mm glass height, 10 Series gives you an amazing sense of space when showering.

A choice of handles

The 10 Series range gives you a choice of handles to suit your own personal style with both a chrome circular handle and an eyelet handle as standard with your enclosure.



Tested for quality & safety

All products are rigorously tested by us and by global health and safety experts to make sure they adhere to the highest quality standards (CE & UKCA mark info page 116).



Quiet glide wheels

Using MERLYN'S years of engineering experience, the 10 Series also features a quiet glide wheel which softly opens and closes with minimum effort.

***Please refer to adjustments and height before purchase**



10 Series Sliding Door in Recess / Shown as Right Hand (R)



Sliding Door in Recess

Our sliding door in recess is a definite style statement. While minimalist in appearance it has an impressive 10mm toughened glass, making it the flagship of the MERLYN Series Collection range.

features.

- > Height 2100mm
- > Eyelet handle with chrome eyelet option and circular filler plate option
- > Extra smooth roller action for quiet closing
- > Door handed - order Left Hand (L) or Right Hand (R)
- > Wetroom compatible

Sliding Door in Recess

Size	Tray Finish Adjustment	Glass Type	Order Code
1000	950-985	Clear	M108231C L or R
1100	1050-1085	Clear	M108251C L or R
1200	1150-1185	Clear	M108241C L or R
1400	1350-1385	Clear	M108291C L or R
1500	1450-1485	Clear	M108281C L or R
1600	1550-1585	Clear	M108271C L or R
1700	1650-1685	Clear	M1081700CH L or R

This product is handed please choose L for left and R for right when ordering.
Please add 15mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Glass Type	Order Code
760	730-750	Clear	M102210C
800	770-790	Clear	M102211C
900	870-890	Clear	M102221C

Please Note: Moving panel door must close onto the side panel.
For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.



Sliding Door with Side Panel / Shown as Right Hand (R)

Technical drawing.



A: Opening size can be adjusted to your requirements
 B: Fixed Panel

A total of 35mm adjustment (max of 12mm adjustment in wall profile on closing side for out of true walls i.e. on right hand side of image shown). Extension profiles available. See page 115.

Size	A Min-Max	B
1000	405-300	510
1100	455-350	560
1200	505-400	610
1400	605-500	710
1600	605-500	910
1700	605-500	1010



10^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Sliding Door with Side Panel

This spectacular enclosure makes a definite style statement. While minimalist in appearance this sliding door has an impressive 10mm toughened glass, making it the flagship of the MERLYN Series Collection range.

features.

- > Height 2100mm
- > Eyelet handle with chrome eyelet option and circular filler plate option
- > Extra smooth roller action for quiet closing
- > Door handed - order Left Hand (L) or Right Hand (R)
- > Wetroom compatible

Sliding Door

Size	Tray Finish Adjustment	Glass Type	Order Code
1000	950-985	Clear	M108231C L or R
1100	1050-1085	Clear	M108251C L or R
1200	1150-1185	Clear	M108241C L or R
1400	1350-1385	Clear	M108291C L or R
1500	1450-1485	Clear	M108281C L or R
1600	1550-1585	Clear	M108271C L or R
1700	1650-1685	Clear	M1081700CH L or R

This product is handed please choose L for left and R for right when ordering.
Please add 15mm to Tray Finish Adjustment when using a Side Panel.

Side Panel


Size	Tray Finish Adjustment	Glass Type	Order Code
760	730-750	Clear	M102210C
800	770-790	Clear	M102211C
900	870-890	Clear	M102221C

Please Note: Moving panel door must close onto the side panel.
For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.




1 Door Offset Quadrant / Shown as Right Hand (R)


Technical drawing.




Size	A Min-Max	B	C
1000 x 800	435-340	435	520
1200 x 800	435-340	635	520
1200 x 900	485-390	635	570
1400 x 800	435-340	835	520



Size	A Min-Max	B	C
800	435-340	235	535
900	485-390	340	575



A: Opening size can be adjusted to your requirements
 B: Straight Panel
 C: Curved Panel



All sizes suit 550mm radius tray.
 Note: Curved Panels 8mm glass.
 Extension profiles available. See page 115.



1 Door Quadrants

Beautifully curved glass combined with an exceptionally smooth roller action makes this quadrant door the best in its class. Constructed from up to 10mm toughened glass this stunning enclosure offers strength and practicality which belies its beauty.

features.

- > Height 2000mm
- > Up to 10mm toughened glass
- > Eyelet handle with chrome
- > eyelet option and circular
- > filler plate option
- > Extra smooth roller action for quiet closing
- > Door handed-order Left Hand (L) or Right Hand (R)
- > Wetroom compatible

1 Door Quadrant

Size	Tray Finish Adjustment	Glass Type	Order Code
800 x 800	775-795	Clear	M103211C L or R
900 x 900	875-895	Clear	M103221C L or R
1000 x 800	975-995 775-795	Clear	M103233C L or R
1200 x 800	1175-1195 775-795	Clear	M103243C L or R
1200 x 900	1175-1195 875-895	Clear	M103241C L or R
1400x800	1375-1395 775-795	Clear	M10148H L or R

This product is handed please choose L for left and R for right when ordering. For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 10mm.

MERLYN Dedicated Offset Quadrant Tray (1400x800)

Size	Order Code
1400 x 800	S148Q L or R

Please Note: The 1400mmx800mm tray is not an Touchstone Tray, it is a dedicated single skinned tray. For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.



1 Door Quadrant / Shown as Left Hand (L)





MERLYN™ | BLACK

MERLYN Black has firmly established itself as a real alternative to Chrome. A favourite among Interior Designers and customers seeking a modern look. Transform your bathroom space and make it the statement piece you desire.

Why choose MERLYN BLACK?



Anodised Matt Black

With its anodised matte black finish, the MERLYN Black range is the best on the market and the envy of all who try to compete. With the option of Frameless, Framed and Squared Showerwalls, Sliding Doors and Hinge & Inline enclosures as well as 3 different styles of Bath Screen, this range offers you a fashionable solution for a variety of situations.

Lifetime Guarantee


The MERLYN Lifetime Guarantee and Mershield Stayclear protective glass coating comes as standard with this 8mm range. Quality, peace of mind and a touch of class all in one choice.





Sliding Door with a Side Panel


Technical drawing.



A: Door Opening
B: Fixed Panel

With a Side Panel


Size	A	B
1200	450	560
1400	550	660
1500	550	760
1700	550	960



A: Door Opening
B: Fixed Panel

In a Recess

Size	A	B
1200	468	560
1400	568	660
1500	568	760
1700	568	960



Sliding Door

The MERLYN Black Sliding Door brings with it the smoothest rolling action possible in 8mm glass. With stunning designer features and its sleek, minimal matte black frame, this enclosure symbolises style that will stand out in your bathroom space.

features.

- > Height 2000mm
- > Black seals
- > Concealed fittings
- > Anodised aluminium matte black finish - more durable than powder coating
- > Smooth action rollers
- > Reversible
- > Wetroom compatible
- > Mershield Stayclear

Sliding Door

Size	Product Adjustment in Recess	Product Adjustment Side Panel	Order Code
1200	1150 - 1190	1140 - 1165	BLKFSL1200H
1400	1350 - 1390	1340 - 1365	BLKFSL1400H
1500	1450 - 1490	1440 - 1465	BLKFSL1500H
1700	1650 - 1690	1640 - 1665	BLKFSL1700H

*Please allow 5mm - 15mm step-in on the tray. See table below for waste cap options.

Optional Side Panel

Size	Product Adjustment	Order Code
800	760 - 785	BLKFSP800
900	860 - 885	BLKFSP900

Additional Options

	Size	Order Code
Sliding Door Extension Profile	2000	BLKFSLEXT
White Waste Cap		DWASCAPWHT

Merlyn Black extension profile: extra 20mm. Extension Profile is matte black.
White Waste Cap is for Touchstone trays only. Waste cap comes in chrome as standard.

DID YOU KNOW?

The black colour layer is not applied to the surface like paint or plating, but is fully integrated with the underlying aluminium substrate, so it cannot chip or peel.




Sliding Door / In a Recess



Hinge and Inline with Side Panel

Technical drawing.



- A: Door Opening
- B: Door Swing
- C: Fixed Panel

+ sizes indicate Side Panel opening

Size	A	B	C
900	490	520	250
900+	530	560	250
1000	540	570	300
1000+	580	610	300
1200	590	620	450
1200+	630	660	450
1400	590	620	670
1400+	630	660	670



Stabilising Bar



Hinge and Inline

This new frameless enclosure fuses style and elegance with practical functionality. The Merlyn Black Hinge & Inline enclosure creates a fabulous contrast feature within your bathroom that will be the envy of all who visit.

features.

- > Height 2000mm
- > Black seals
- > 8mm toughened glass
- > Anodised aluminium matte black finish - more durable than powder coating
- > Luxury metal handle
- > Sleek designer bracing bar
- > Reversible
- > Mershield Stayclear

Hinge & Inline in Recess

Size	Product Adjustment	Order Code
900	860 - 900	BLKH900REC
1000	960 - 1000	BLKH1000REC
1200	1130 - 1150	BLKH1200RECH
1400	1350 - 1350	BLKH1400RECH

Hinge & Inline sizes for use with Side Panel

Size	Product Adjustment	Order Code
900+	870 - 890	BLKH900SP
1000+	970 - 990	BLKH1000SP
1200+	1170 - 1190	BLKH1200SPH
1400+	1370 - 1390	BLKH1400SPH

Optional Side Panel to match + sizes only

Size	Product Adjustment	Order Code
760	730 - 750	BLKHSP760
800	770 - 790	BLKHSP800
900	870 - 890	BLKHSP900

Additional Options


	Size	Order Code
Hinge & Inline Extension Profile	2000	BLKHEXT
White Waste Cap		DWASCAPWHT

Merlyn Black extension profile: extra 20mm. Extension Profile is matte black. White Waste Cap is for Touchstone trays only. Waste cap comes in chrome as standard.



Double Entry Showerwall

Technical drawing



A: Front Panel
B: Entry

GLASS

WALL

BRACING BAR

Recommended opening min 500mm





GLASS THICKNESS



LIFETIME GUARANTEE



MERSHIELD STAYCLEAR

Double Entry Showerwall

The framed beauty that is the MERLYN Black Framed Showerwall is here to transform your bathroom. Creating a feature of your showering space, this new arrival from MERLYN gives you style options to use as a Showerwall or Walk-In. The anodised matte black frame guarantees the perfect finish expected as standard from MERLYN.

features.

- > Height 2000
- > 8mm toughened glass
- > Anodised aluminium matte black finish - more durable than powder coating
- > Bracing bar sits flush with shower panel
- > Suitable for wetroom and shower tray application
- > Mershield Stayclear

Double Entry Squared Showerwall

Size	Order Code
1200	BLKFSWCTL120D

Bracing bars come as standard.

Additional Options

	Order Code
White Waste Cap	DWASCAPWHT

*White Waste Cap is for Touchstone trays only. Waste cap comes in chrome as standard.

DID YOU KNOW?

The black colour layer is not applied to the surface like paint or plating, but is fully integrated with the underlying aluminium substrate, so it cannot chip or peel.



Fully designed metal frame including horizontal and vertical bars


Squared Showerwall



Squared Walk-In

Technical drawing

Walk In



A: Front Panel
B: End Panel

Recommended opening min 500mm



8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Squared Showerwall

This hotly anticipated trend has landed from MERLYN. The anodised MERLYN Black Squared Showerwall is the best to arrive onto the scene. Available in a choice of three sizes allowing you to create a Showerwall or Walk-In feature, this statement piece gives your bathroom the wow it's been waiting for.

features.

- > Height 2000
- > 8mm toughened glass
- > Reversible
- > Anodised aluminium matte black finish- more durable than powder coating
- > Bracing bar sits flush with shower panel
- > Suitable for wetroom and shower tray application
- > Full metal frame on the outside only - retaining easy clean feature on inside
- > Mershield Stayclear

Squared Showerwall

Size	Product Adjustment	Order Code
900	875 - 890	BLKFSWCTL90
1000	975 - 990	BLKFSWCTL100
1200	1175 - 1190	BLKFSWCTL120

Bracing bar comes as standard on all sizes.

Additional Options

Size	Order Code
White Waste Cap	DWASCAPWHT

*White Waste Cap is for Touchstone trays only. Waste cap comes in chrome as standard.




Framed Showerwall



Framed Walk-In

Technical drawing

Walk In



A: Front Panel
B: End Panel

Recommended opening min 500mm



8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Framed Showerwall

The framed beauty that is the MERLYN Black Framed Showerwall is here to transform your bathroom. Creating a feature of your showering space, this new arrival from MERLYN gives you style options to use as a Showerwall or Walk-In. The anodised matte black frame guarantees the perfect finish expected as standard from MERLYN.

features.

- > Height 2000
- > Reversible
- > 8mm toughened glass
- > Anodised aluminium matte black finish - more durable than powder coating
- > Bracing bar sits flush with shower panel
- > Suitable for wetroom and shower tray application
- > Mershield Stayclear

Framed Showerwall

Size	Product Adjustment	Order Code
800	775 - 790	BLKFSW80
900	875 - 890	BLKFSW90
1000	975 - 990	BLKFSW100
1200	1175 - 1190	BLKFSW120

Bracing bar comes as standard on all sizes.

Additional Options

	Order Code
White Waste Cap	DWASCAPWHT

*White Waste Cap is for Touchstone trays only. Waste cap comes in chrome as standard.



Frameless Showerwall with a Swivel Panel



Frameless Showerwall with an End Panel



Frameless Showerwall with a Vertical Post



8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Frameless Showerwall

The Merlyn Black Frameless Showerwall comes in several sizes, offering you the option to mix and match your choice of space combinations. With 8mm glass and the option of a matte black vertical post, this stylish Showerwall brings a strong feature with great height to your bathroom.

features.

- > Height 2015mm including rail
- > Minimalist frameless design
- > 8mm toughened glass
- > Anodised aluminium matte black finish - more durable than powder coating
- > Reversible
- > Suitable for wetroom and shower tray application
- > Mershield Stayclear

Frameless Showerwall

Size	Product Adjustment	Order Code
700	675 - 690	BLKSW700
800	775 - 790	BLKSW800
900	875 - 890	BLKSW900
1000	975 - 990	BLKSW1000
1100	1075 - 1090	BLKSW1100
1200	1175 - 1190	BLKSW1200

See table below for waste cap options.

**Please note: Vertical Post is an optional extra and must be ordered if required. See information below.

Additional Options

	Size	Order Code
Corner profile	Max 3 metres	A04S0003BN
Vertical post**	Max 3 metres	BLK3MCP
Swivel panel	300	BLKSVL300
T shaped bracket		A04S0010B
White waste cap		DWASCAPWHT


White Waste Cap is for Touchstone trays only. Waste cap comes in chrome as standard. The Swivel Panel can be retro fitted. Radius of Swivel Panel = 315mm. 180° opening.

DID YOU KNOW?

The black colour layer is not applied to the surface like paint or plating, but is fully integrated with the underlying aluminium substrate, so it cannot chip or peel.

Technical drawing

Showerwall with End Panel



A: Front Panel
B: End Panel

Recommended opening min 500mm



Frameless Showerwall



Corner Profile

2 Panel Hinged Bath Screen

The Merlyn Black 2 Panel Hinged Bath Screen stylishly complements the multi-functional bathroom, ensuring that every bathroom can be on-trend.






Features.

- > Minimalist frameless design
- > 8mm toughened glass
- > Anodised aluminium matte black finish-more durable than powder coating
- > This product is handed



2 Panel Hinged		
Size	Panel	Order Code
900 x 1500	2	BLKMB7L
900 x 1500	2	BLKMB7R




Door Swing: 180 Degrees inwards only

A: Fixed Panel = 500mm

B: Radius of Screen Swing = 383mm

Recommended shower head position



Please ensure product is fitted with panel positioned in line with the inside bath edge.

Framed Bath Screen





To add to our MERLYN Black range of options is the beautiful Framed Bath Screen. Not to neglect the multi-functional bathroom space, this addition to the range offers a fashionable choice allowing that striking feature that your bathroom space deserves.

Features.

- > 8mm toughened glass
- > Anodised aluminium matte black finish - more durable than powder coating
- > Reversible
- > Mershield Stayclear



Framed		
Size	Panel	Order Code
800 x 1500	1	BLKFMB0



Please ensure product is fitted with panel positioned in line with the inside bath edge.

Recommended shower head position

Fixed Square Bath Screen





The Merlyn Black Fixed Square Bath Screen offers a sleek, minimalistic aesthetic to the multi-functional bathroom, creating a feeling of space and luxury.

Features.

- > Minimalist frameless design
- > 8mm toughened glass
- > Anodised aluminium matte black finish - more durable than powder coating
- > Reversible
- > Mershield Stayclear



Fixed Square		
Size	Panel	Order Code
800 x 1500	1	BLKMBO



Please ensure product is fitted with panel positioned in line with the inside bath edge.

Recommended shower head position





8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE


MERSHIELD
STAYCLEAR

8 | SERIES | *frameless*

8 | series | *frameless*

If your bathroom is crying out for an enclosure that has a minimalist designer frame the 8 Series Frameless range is perfect. With its chrome hinges and handles, it's the perfect complement for any modern styled bathroom.

Why choose 8 Series Frameless?



8mm glass

The 8 Series Frameless range features stunning 8mm frameless glass, standing at the impressive height of 2000mm.

Signature badging



For the designer look, the minimalist frame is complemented with subtle MERLYN embossing. A true mark of quality for you to showcase in your bathroom.

Horizontal designer handle

The Hinged and Quadrant shapes in this range feature our exclusive horizontal handle which offers the perfect symmetry and solid feel to this truly stunning range.



Tested for quality & safety

All products are rigorously tested by us and by global health and safety experts to make sure they adhere to the highest quality standards (UKCA and CE mark info page 116).

Ultra slim hinges

Complementing the designer minimalist look, the ultra sleek one piece hinges on our 8 Series Frameless range are our most innovative to date. The internal mechanics are concealed fully in one elegant chrome plate, which gives you a secure showering environment with added style.




SHOWER ENCLOSURES



Pivot Door / Shown with Side Panel

Technical drawing.




A: Door Opening
B: Door Swing

Size	A	B
760	642	640
800	682	680
900	782	780
1000	882	880

Note: 10mm adjustment only on closing side.
Extension profiles available. See page 115.



8_{MM}
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Pivot Door

The 8 Series Frameless Pivot Door is practical, stylish and the perfect solution for recess and corner situations. At a height of 1950mm, this enclosure is the perfect choice.

features.

- > Height 1950mm
- > Solid chrome double handle
- > Cover caps
- > Space saving solution
- > Inward and outward opening swing
- > Concealed fixings
- > Reversible
- > Wetroom compatible


Pivot Door in a Recess

Size	Tray Finish Adjustment	Order Code
760	730-760	S8FPV76
800	770-800	S8FPV80
900	870-900	S8FPV90
1000	970-1000	S8FPV100

Optional Pivot Door Side Panel

Size	Tray Finish Adjustment	Order Code
760	735-755	S8FSP76PV
800	775-795	S8FSP80PV
900	875-895	S8FSP90PV
1000	975-995	S8FSP100PV
1200	1175-1195	S8FSP120PV

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 10mm.



Pivot Door / Shown in a Recess



Pivot and Inline / Overhead
Shown with a Side Panel
Inward




Pivot and Inline / Overhead
Shown with a Side Panel
Outward Swing



Pivot and Inline / Shown in a Recess

Pivot and Inline / Shown with Side Panel


Technical drawing.



A: Door Opening
B: Door Swing
C: Inline Panel

Extension profiles available.
See page 115.

Side Panel					
Enclosure Size	Door Size	Inline Size	A	B	C
1000	800	200	682	680	225
1100	800	300	682	680	325
1200	900	200	782	780	225
	800	400	682	680	425
1300	900	300	782	780	325
	1000	200	882	880	225
1400	800	500	682	680	525
	900	400	782	780	425
1500	1000	300	882	880	325
	900	500	782	780	525
1600	1000	400	882	880	425
	1000	500	882	880	525
1700	800	700	682	680	725
1700	900	700	782	780	725
1700	1000	700	882	880	725



A: Door Opening
B: Door Swing
C: Inline Panel

Recess					
Enclosure Size	Door Size	Inline Size	A	B	C
1000	800	200	682	680	218
1100	800	300	682	680	318
1200	900	200	782	780	218
	800	400	682	680	418
1300	900	300	782	780	318
	1000	200	882	880	218
1400	800	500	682	680	518
	900	400	782	780	418
1500	1000	300	882	880	318
	900	500	782	780	518
1600	1000	400	882	880	418
	800	700	682	680	718
1700	900	700	782	780	718
1700	1000	700	882	880	718



8
MM
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Pivot Door & Inline Panel

This new addition to the 8 Series Frameless range brings with it choice and a range of size options to fit a varied space. This beautiful enclosure epitomises style and practicality.

features.

- > Height 1950mm
- > Solid chrome double handle
- > Cover caps
- > Space saving solution
- > Inward and outward opening swing
- > Concealed fixings
- > Reversible
- > Wetroom compatible

Pivot Door and Inline Panel in a Recess

Size	Size of Pivot Door	Inline Panels	Tray Finish Adjustment	Order Code
1000	800	200	960-1000	S8FPI1002H
1100	800	300	1060-1100	S8FPI1103H
	900	200		S8FPI1102H
1200	800	400		S8FPI1204H
	900	300	1160-1200	S8FPI1203H
	1000	200		S8FPI1202H
**1300	800	500		S8FPI1305H
	900	400	1260-1300	S8FPI1304H
	1000	300		S8FPI1303H
1400	900	500	1360-1400	S8FPI1405H
	1000	400		S8FPI1404H
1500	1000	500	1460-1500	S8FPI1505H
	800	700		S8FPI1507H
1600	900	700	1560-1600	S8FPI1607H
1700	1000	700	1660-1700	S8FPI1707H

Please Note: Items in bold are our recommended configurations.

**Available with TouchStone Tray Only

Please Note: If you would like the door to open fully against the wall please refer to the sizes in panel B (door swing) in the relevant table on page 33.

Optional Pivot Door and Inline Side Panel

Size	Tray Finish Adjustment	Order Code
760	735-755	S8FSP76IN
800	775-795	S8FSP80IN
900	875-895	S8FSP90IN

For wetroom installation, please reduce Side Panel Tray Finish Adjustment by 10mm.

For more information on the Side Panel refer to the Technical drawing page 33.




Hinge and Inline / Shown in a Recess



Hinge and Inline / Shown with Side Panel

Technical drawing.



- A: Door Opening
- B: Door Swing
- C: Inline Panel


Extension profiles available. See page 115.

Size	A	B	C
900	560	630	240
900+	560	630	285
1000	645	710	260
1000+	690	755	260
1100	645	710	360
1100+	690	755	360
1200	645	710	460

Size	A	B	C
1200+	690	755	460
1400	645	710	660
1400+	690	755	660
1600	645	710	860
1600+	690	755	860
1700	645	710	960
1700+	690	755	960



8^{MM}
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Hinge and Inline

A hugely practical yet stylish option, the 8 Series Frameless Hinge & Inline in a Recess is perfect for recesses or en suites. The Hinge and Inline redefines the art of showering with its creative fusion of style and practicality.

features.

- > Height 2000mm
- > Ultra slim hinges
- > Large horizontal designer handle including internal clutch bar handle
- > Concealed fixings
- > Secure "Clunk" closing
- > Reversible
- > Wetroom compatible

Hinge and Inline in a Recess

Size	Tray Finish Adjustment	Order Code
900	860-905	A0611X0
900+	905-950	A0611Y0
1000	960-1005	A0611RH
1000+	1005-1050	A0611RF
1100	1060-1105	A0611SH
1100+	1105-1150	A0611SF
1200	1160-1205	A0611TH
1200+	1205-1250	A0611TF
1400	1360-1405	A0611UH
1400+	1405-1450	A0611UF
1600	1560-1605	A0611VH
1600+	1605-1650	A0611VF
1700	1660-1705	A0611WH
1700+	1705-1750	A0611WF

Please Note: Only + sizes are to be used with a Side Panel.

Hinge and Inline sizes must be used with Side Panel

Size	Tray Finish Adjustment	Order Code
900+	880-900	A0611Y0
1000+	980-1000	A0611RF
1100+	1080-1100	A0611SF
1200+	1180-1200	A0611TF
1400+	1380-1400	A0611UF
1600+	1580-1600	A0611VF
1700+	1680-1700	A0611WF

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
760	740-760	A0607B0
800	780-800	A0607D0
900	880-900	A0607E0


Please note: Moving panel door must close onto the Side Panel.

For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.



Hinged Bifold Door / Shown in a Recess

Technical drawing.



A: Door Opening
B: Width of panel when folded

Size	A	B
760	520	355
800	560	375
900	670	425
1000	780	475

Extension profiles available. See page 115.

8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Hinged Bifold Door

The 8 Series Frameless Bifold is an ingenious space saving solution for bathrooms with space restrictions, the hero of the bijou bathroom. Folding away neatly and horizontally flush to the wall, this screen allows you to double your feeling of space in any small bathroom giving you that extra elbow room you desire.

features.

- > Height 1950mm
- > Frameless
- > Minimal designer hinges
- > Space solution
- > Reversible

Hinged Bifold Door

Size	Tray Finish Adjustment	Order Code
760	720-750	M87111
800	760-790	M87211
900	860-890	M87221
1000	960-990	M87231

Please reduce the Tray Finish Adjustment by 5mm when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
760	715-735	M82101
800	755-775	M82102
900	855-875	M82103

For wetroom installation, reduce Side Panel Tray Finish Adjustment by 5mm.
Please note: Moving panel door must close onto the Side Panel.




Hinged Bifold Door / Shown with Side Panel



1 Door Offset Quadrant / Shown with Left Hand TrueStone tray (L)

Technical drawing.


1 Door Offset Quadrant



Size	A	B	C	D
900 x 760	720	790	195	335
1000 x 800	720	790	235	435
1200 x 800	720	790	235	635
1200 x 900	720	790	335	635

A: Door Opening
 B: Door Swing
 C: Straight Panel
 D: Curved Panel

1 Door Quadrant



Size	A	B	C	D
800	720	790	235	235
900	720	790	335	335
1000	720	790	435	435

All sizes to suit a 550mm Radius Tray.
 Extension profiles available. See page 115.

8_{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

1 Door Quadrants


The stylish 8 Series Frameless Offset Quadrant comes in a range of sizes, providing a spacious showering space that would suit any type of bathroom, traditional or contemporary.

features.

- > Height 2000mm
- > Large horizontal
- > Designer handle
- > Secure "Clunk" closing
- > Ultra slim hinges
- > Concealed fixings
- > Reversible
- > Wetroom compatible

1 Door Quadrant

Size	Tray Finish Adjustment	Order Code
800 x 800	780-800	A0601TH
900 x 900	880-900	A0601UH
1000 x 1000	980-1000	A0602ZH
900 x 760	880-900 740-760	A0601CH
1000 x 800	980-1000 780-800	A0601EH
1200 x 800	1180-1200 780-800	A0601HH
1200 x 900	1180-1200 880-900	A0601IH



1 Door Quadrant






8 | series

If you are looking for a large selection of shapes to choose from, then 8 Series is the range for you. This range is a true style statement, with ingenious functionality. An excellent choice for all homeowners.

Why choose 8 Series?



8mm covered

The 8mm glass in the 8 Series range is that great balance between our 10mm range and 6mm ranges. The glass is also toughened and tested rigorously to ensure maximum safety.

Easy clean double rollers

This feature on our 8 Series range is a great addition to make your enclosure the easiest to clean on the market. Simply push and release for easy cleaning in those hard to reach areas.



Every space covered

Not every space is the same, so MERLYN have designed a range of Inline Panels which can be added to standard enclosures to fit any width from 650mm to 1900mm. These ingenious semi-frameless panels, with a generous glass height of 1950mm, gives you options for almost any width you need.

Ergonomic handle

The elegantly designed internal and external handles are designed to effortlessly close the shower to a solid "Clunk" each time you shower. With a beautiful solid chrome plated finish, it adds a designer touch to your enclosure.



Tested for quality & safety

All products are rigorously tested by us and by global health and safety experts to make sure they adhere to the highest quality standards. (UKCA and CE mark info page 116).


8|series



Sliding Door / Shown with Side Panel

Sliding Door / Shown in a Recess

Technical drawing.



Size	A	B
1000	390	440
1100	430	480
1200	470	530
1300	530	580
1400	570	630
1500	570	730
1600	570	830
1700	570	930



8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Sliding Door

The 8 Series Sliding door is an impressive and highly engineered spacious enclosure with 8mm toughened safety glass, 1950mm high and smooth gliding action based on quick release double rollers for easy cleaning.

features.

- > Height 1950mm
- > Translucent seals
- > Concealed fixings
- > Full length chrome magnetic strips
- > Easy clean double rollers
- > Chrome handle
- > Reversible
- > Wetroom compatible

Sliding Door

Size	Tray Finish Adjustment	Order Code
1000	950-990	M88231
1100	1050-1090	M88251
1200	1150-1190	M88241
1300	1250-1290	M88240
1400	1350-1390	M88291
1500	1450-1490	M88261
1600	1550-1590	M88271
1700	1650-1690	M88281

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
700	670-690	M82201
760	730-750	M82210
800	770-790	M82211
900	870-890	M82221
1000	970-990	M82231

Sliding door can be paired with 2 optional Side Panels
For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.

Optional Inline Panel

Size	Tray Finish Adjustment	Order Code
150	130-150	M8P140
210	190-210	M8P2200

Inline panels can be fitted to either or both sides of Sliding Door - See page 110 for space solutions.

8|series




Hinge Door / Shown in a Recess



Hinge Door / Shown with Side Panel

Technical drawing.



A: Door Opening
B: Door Swing

Size	A	B
700	550	550
760	610	610
800	650	650
900	750	750
1000	850	850

Extension profiles available. See page 115.



8
MM
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Hinge Door

A practical choice for larger en suites or smaller bathrooms. The Hinge Door offers a highly specified and versatile option, making it suitable for a large range of spaces.

features.

- > Height 1950mm
- > Concealed fixings
- > Extended length chrome design symmetry handle
- > Translucent seals
- > Wetroom compatible
- > Minimalist exposed glass edge
- > Signature hinges with internal flush fixings
- > Reversible
- > Double bales catch closing with definitive “Clunk” close

Hinge Door

Size	Tray Finish Adjustment	Order Code
700	650-690	M81201
760	710-750	M81210
800	750-790	M81211
900	850-890	M81221
1000	950-990	M81231

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
700	670-690	M82201
760	730-750	M82210
800	770-790	M82211
900	870-890	M82221
1000	970-990	M82231

For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.

Optional Inline Panel

Size	Tray Finish Adjustment	Order Code
150	130-150	M8P140
210	190-210	M8P2200

Inline panels can be fitted to either or both sides of Hinge Door - See page 110 for space solutions. Please Note: Moving panel door must close onto the Side Panel.

8|series



Infold Door / Shown with Side Panel



Infold Door and Inline Panel / Shown in a Recess

Technical drawing.




A: Door Opening
B: Door Swing

Size	A	B
700	505	200
760	565	260
800	605	300
900	705	400
1000	805	500

Extension profiles available. See page 115.



8_{MM}
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Infold Door

This door is the epitome of space saving solutions without compromising on the beautiful lines of the glass door. Pair this 1950mm high 8 Series door with the minimalist optional Side Panel and this enclosure becomes ideal for any corner setting.

features.

- > Height 1950mm
- > Concealed fixings
- > Chrome design symmetry handle
- > Reversible
- > Wetroom compatible
- > Translucent seals

Infold Door

Size	Tray Finish Adjustment	Order Code
700	650-690	M84401
760	710-750	M84410
800	750-790	M84411
900	850-890	M84421
1000	950-990	M84431

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
700	670-690	M82201
760	730-750	M82210
800	770-790	M82211
900	870-890	M82221
1000	970-990	M82231

For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.

Optional Inline Panel

Size	Tray Finish Adjustment	Order Code
150	130-150	M8P140
210	190-210	M8P2200

Inline Panels can be fitted to either or both sides of Infold Door - See page 110 for space solutions.




Infold Door / Shown with Side Panel Overhead

8|series



1 Door Offset Quadrant / Shown on Right Hand (R) 1400x800 size available


Technical drawing.



A: Door Opening
B: Fixed Panel
C: Straight Panel

1 Door Offset Quadrant

Size	A	B	C
900 x 760	420	465	275
1000 x 800	425	520	375
1200 x 800	425	520	575
1200 x 900	480	540	575
1400 x 800	425	520	775



1 Door Quadrant

Size	A	B	C
900 x 900	480	540	275

All sizes to suit a 550mm Radius Tray.
Extension Profiles available. See page 115.



8^{MM}
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

1 Door Quadrants

With fresh curved lines and designer chrome handles, the 1 Door Offset Quadrant exudes traditional style with a contemporary twist and a strong focus on expert engineering.

features.

- > Height 1950mm
- > Concealed fixings
- > Chrome design symmetry handle
- > Reversible
- > Wetroom compatible
- > Translucent seals

1 Door Quadrant

Size	Tray Finish Adjustment	Order Code
900 x 900	875-895	M83225
900 x 760	875-895 735-755	M83222
1000 x 800	975-995 775-795	M83233
1200 x 800	1175-1195 775-795	M83243
1200 x 900	1175-1195 875-895	M83241
1400 x 800	1375-1395 775-795	M83244

MERLYN Dedicated Offset Quadrant Tray (1400x800)

Size	Order Code
1400 x 800	S148Q L or R

This tray is handed please choose L for left and R for right when ordering.
Please Note: The 1400x800mm tray is not an Touchstone Tray, it is a dedicated single skinned tray.
For wetroom installation, please reduce Tray Finish Adjustment by 20mm.




1 Door quadrant

8|series



2 Door Quadrant

Technical drawing.



A: Door Opening
B: Fixed Panel

Size	A	B
800	410	220
900	540	320
1000	540	420

All sizes to suit a 550mm Radius Tray.
Extension profiles available. See page 115.



8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

2 Door Quadrants

With fresh curved lines and designer chrome handles, the 2 Door Quadrant exudes traditional style with a contemporary twist and a strong focus on expert engineering.

features.

- > Height 1950mm
- > 8mm toughened glass
- > Mershield Stayclear easy clean protected glass
- > Lifetime Guarantee
- > Translucent seals
- > Concealed fixings
- > Easy clean double rollers
- > Chrome design symmetry handle
- > Reversible
- > Wetroom compatible

2 Door Quadrant

Size	Tray Finish Adjustment	Order Code
800	775-795	M83211
900	875-895	M83221
1000	975-995	M83231

For wetroom installation, please reduce Tray Finish Adjustment by 20mm.





6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

6 | series

The 6 Series range is the perfect choice if you are looking for a portfolio of shower enclosures to accommodate any space and design requirements.

Why choose 6 Series?

Easy clean double rollers



This feature on our 6 Series range makes your enclosure the easiest to clean on the market. Simply push and release for easy cleaning in those hard to reach areas.

A great range at a great price

The MERLYN 6 Series range offers all the benefits, design and technology of the Series Collection but at more accessible prices. This range delivers on style, function and value for money.



Tested for quality & safety

All products are rigorously tested by us and by global health and safety experts to make sure they adhere to the highest quality standards. (UKCA and CE mark info page 116).

Chrome dual handle

A luxurious chrome dual handle complements the look of this framed range of enclosures with a discreet inside handle and larger external handle for easy closing.



Every space covered


Not every space is the same, so Merlyn have designed a range of Inline Panels which can be added to standard enclosures to fit any width from 670mm to 1915mm. These ingenious semi-frameless panels, with a generous glass height of 1900mm, gives you options for almost any width you need.



Sliding Door / Shown with Side Panel

Sliding Door / Shown in a Recess

Technical drawing.



A: Door Opening
B: Fixed Panel

Extension profiles available. See Page 115.

Size	A	B
1000	380	420
1100	430	470
1200	480	520
1400	580	620
1500	580	720
1600	580	820
1700	580	920



6_{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Sliding Door

The 6 Series Sliding Door has been enhanced with designer handles and quick release double rollers for easy access cleaning. With exceptionally smooth opening, this enclosure which stands at 1900mm high is affordable yet incredibly stylish.

features.

- > Height 1900mm
- > 6mm toughened glass
- > Translucent seals
- > Full length chrome
- > magnetic strips
- > Easy clean double rollers
- > Double handed
- > Can be used with 2 optional
- > minimalist Side Panels
- > Reversible
- > Wetroom compatible

Sliding Door

Size	Tray Finish Adjustment	Order Code
1000	950-1000	M68231
1100	1050-1100	M68251
1200	1150-1200	M68241
1400	1350-1400	M68291
1500	1450-1500	M68261
1600	1550-1600	M68271
1700	1650-1700	M68281

Please add 20mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
700	680-705	M62201N
760 / 800	745-790	M62211N
900	875-900	M62221N
1000	975-1000	M62231N

Sliding door can be paired with 2 optional Side Panels
For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.

Optional Inline Panel


Size	Tray Finish Adjustment	Order Code
140	115-140	M61125
215	190-215	M61200

Inline panels can be fitted to either or both sides of Sliding Door. See page 109 for space solutions.



Pivot Door / Shown with Side Panel

Technical drawing.



A: Door Opening
B: Door Swing

Note: Side Panel is 6mm glass
Extension profiles available. See page 115.

Size	A	B
700	410	410
760 / 800	480	480
900	590	590
1000	690	690

8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Pivot Door

The 6 Series Sliding Door has been enhanced with designer handles and quick release double rollers for easy access cleaning. With exceptionally smooth opening, this enclosure which stands at 1900mm high is affordable yet incredibly stylish.

features.

- > Height 1900mm
- > 8mm toughened glass
- > Translucent seals
- > Full length chrome
- > magnetic strips
- > Easy clean double rollers
- > Double handed
- > Can be used with 2 optional
- > minimalist Side Panels
- > Reversible
- > Wetroom compatible

Pivot Door

Size	Tray Finish Adjustment	Order Code
700	670-720	M61201N
760/800	740-790	M61211N
900	850-900	M61221N
1000	950-1000	M61231N

Please add 10mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
700	680-705	M62201N
760 / 800	745-790	M62211N
900	875-900	M62221N
1000	975-1000	M62231N

For wetroom installation, please reduce Tray Finish Adjustment by 20mm.

Optional Inline Panel

Size	Tray Finish Adjustment	Order Code
140	115-140	M6I125
215	190-215	M6I200

Inline Panels can be fitted to either or both sides of Pivot Door. See page 109 for space solutions.




Bifold Door / Shown with Side Panel



Bifold Door / Shown in a Recess

Technical drawing.



X: Do not put shower head here
A: Door Opening

Size	A
700	420
760 / 800	490
900	600
1000	650

Extension profiles available. See page 115.

6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Bifold Door

Where space is at a premium the 6 Series Bifold is the ultimate solution. This new version of a classic shape, offers a sleek frameless design with a discreet chrome hinge detail.

features.

- > Height 1900mm
- > Discreet chrome bifold hinge
- > Sleek frameless door design
- > Reversible
- > Wetroom compatible

Bifold Door

Size	Tray Finish Adjustment	Order Code
700	670-720	M67201N
760 / 800	740-790	M67211N
900	850-900	M67221N
1000	950-1000	M67231N

Can be used with 2 optional minimalist Side Panels.
Please add 10mm to Tray Finish Adjustment when using a Side Panel.

Optional Side Panel

Size	Tray Finish Adjustment	Order Code
700	680-705	M62201N
760 / 800	745-790	M62211N
900	875-900	M62221N
1000	975-1000	M62231N

For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.

Optional Inline Panel

Size	Tray Finish Adjustment	Order Code
140	115-140	M6I125
215	190-215	M6I200

Inline Panels can be fitted to either or both sides of Bifold Door. See page 109 for space solutions.




1 Door Quadrant



2 Door Quadrant

Technical drawing.




A: Door Panel
B: Curved Panel
C: Straight Panel

All sizes to suit a 550mm Radius Tray.
Extension profiles available. See page 115.

1 Door Quadrants

Size	A	B	C
900 x 760	405	460	280
900 x 900	480	540	250
1000 x 800	430	495	380
1200 x 800	430	495	580
1200 x 900	480	540	580




A: Door Opening
B: Fixed Panel

2 Door Quadrant

Size	A	B
800	375	225
900	540	325
1000	540	425



6^{MM}
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Quadrants

The 6 Series Quadrants have it all – 1900mm high with a beautifully curved chrome frame, 6mm toughened glass, designer handles and quick release double rollers for easy access to clean – stylish yet very affordable.

features.

- > Height 1900mm
- > Translucent seals
- > Easy clean double rollers
- > Double handed
- > Reversible
- > Wetroom compatible

1 Door Quadrant

Size	Tray Finish Adjustment	Order Code
900 x 900	875-900	M63225
900 x 760	875-900 735-760	M63222
1000 x 800	975-1000 775-800	M63233
1200 x 800	1175-1200 775-800	M63243
1200 x 900	1175-1200 875-900	M63241

For wetroom installation, please reduce tray finish adjustment by 20mm.

2 Door Quadrant


Size	Tray Finish Adjustment	Order Code
800	775-800	M63211
900	875-900	M63221
1000	975-1000	M63231

For wetroom installation, please reduce Side Panel tray finish adjustment by 20mm.



Corner Door

Technical drawing.



A: Door Opening
B: Fixed Panel

Size	A	B
800	395	310
900	465	360

Extension profiles available. See page 115.

6_{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Corner Door

The 6 Series Corner door is a functional and contemporary enclosure. It is the perfect solution for bijoux en suites or awkward spaces as the doors slide back within the confines of the shower itself.

features.

- > Height 1900mm
- > Translucent seals
- > Easy clean double rollers
- > Double handed
- > Double sliding doors
- > Reversible
- > Wetroom compatible

Corner Door

Size	Tray Finish Adjustment	Order Code
800	775-800	M65211
900	875-900	M65221

For wetroom installation, please reduce Tray Finish Adjustment by 20mm.





6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

MBOX

The MBOX range of shower enclosures are smart and elegant, carefully selected to offer excellence in design, durability and affordability.

Why choose MBOX?

Extensive Range

This is the biggest and best MBOX range to date with 53 various sizes and shapes available.

Every space covered

MBOX offers loft height sizes in Sliding Doors, Bifold Doors and 2 Door Quadrants. These loft sizes are ideal for low ceilings, making the most out of the space in your bathroom.

Less drilling, less screws



Align the horizontal and vertical profiles together



Slide the horizontal profile and screws into upright using guide channel until flush



Secure screws into position using dedicated access holes

Double Rollers

All rollers on MBOX products are double quick release for easy cleaning.



Loft Sizes

MBOX offers 3 reduced height doors. Perfect for converted loft spaces. Available in sliding door, bifold door, and 2 door quadrant.


Designer Handle





Sliding Door with Side Panel

Technical drawing.



A = Door Opening
B = Fixed Panel
C = Side Panel

Extension profiles available. See page 115.

Size	A	B
1000	367	430
1100	417	480
1200	467	530
1300	517	580
1400	567	630
1500	567	730
1600	567	830
1700	567	930



6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Sliding Door with Side Panel

The MBOX Sliding Door with Side Panel has a height of 1900mm and a ten year guarantee. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

Loft height available.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Magnetic seals
- > Easy to install
- > Mershield
- > Chrome designer handle
- > 20mm adjustment per wall profile
- > Loft height available
- > Optional cover strips available
- see page 112

Sliding Door with Side Panel

Size	Adjustment Min - Max	Order Code
1000	950 - 990	MBS1000
1100	1050 - 1090	MBS1100
1200	1150 - 1190	MBS1200
1300	1250 - 1290	MBS1300
1400	1350 - 1390	MBS1400
1500	1450 - 1490	MBS1500
1600	1550 - 1590	MBS1600
1700	1650 - 1690	MBS1700

Please Note: Cover strips do not come as standard and need to be ordered separately if required - See pg 112

Optional Side Panel

Size	Adjustment Min - Max	Order Code
700	670 - 690	MBSP700
760	730 - 750	MBSP760
800	770 - 790	MBSP800
900	870 - 890	MBSP900
1000	970 - 990	MBSP1000

Optional Inline Panel


Size	Adjustment Min - Max	Order Code
150	130 - 150	MBN150
210	190 - 210	MBN210

For more information on Inline Panels see page 111



Sliding Door in Recess

Technical drawing.



A = Door Opening
B = Fixed Panel

Extension profiles available. See page 115.

Size	A	B
1000	367	430
1100	417	480
1200	467	530
1300	517	580
1400	567	630
1500	567	730
1600	567	830
1700	567	930

6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Sliding Door in Recess

The MBOX Sliding Door in Recess has a height of 1900mm and a ten year guarantee. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

Loft height available.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Magnetic seals
- > Easy to install
- > Mershield
- > Chrome designer handle
- > 20mm adjustment per wall profile
- > Loft height available
- > Optional cover strips available
- see page 112

Sliding Door in a Recess

Size	Adjustment Min - Max	Order Code
1000	950 - 990	MBS1000
1100	1050 - 1090	MBS1100
1200	1150 - 1190	MBS1200
1300	1250 - 1290	MBS1300
1400	1350 - 1390	MBS1400
1500	1450 - 1490	MBS1500
1600	1550 - 1590	MBS1600
1700	1650 - 1690	MBS1700

Please Note: Cover strips do not come as standard and need to be ordered separately if required - see page 112

Loft Sliding Door (Height 1800mm)

Size	Adjustment Min - Max	Order Code
1200	1150 - 1190	MBS1200/1800


Loft Side Panel (Height 1800mm)

Size	Adjustment Min - Max	Order Code
800	770 - 790	MBSP800/1800
900	870 - 890	MBSP900/1800



Low Level Access Sliding Door

Technical drawing.



A = Door Opening
B = Fixed Panel
C = Side Panel

Size	A	B
1000	365	435
1200	465	535
1400	565	635
1700	565	935



6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Low Level access Sliding Door

The MBOX Low Level access Sliding Door is perfect for loft spaces. With its bottom glide system instead of rollers for that soft open and close. Easy to install in three steps.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > No bottom rollers
- > Bottom glide system
- > Easy-fit system
- > Mershield protected glass
- > Handed
- > Push button door release for easy clean
- > Adjustable fin seal for increased water retention
- > Optional cover strips available - [see page 112](#)
- > Threshold strip just 6mm high
Note: Products are left or right handed due to bottom guide and no bottom profile.

Low Level Access Sliding Door

Size	Adjustment Min - Max	Order Code
1000	950 - 990	MBLA1000L
1000	950 - 990	MBLA1000R
1200	1150 - 1190	MBLA1200L
1200	1150 - 1190	MBLA1200R
1400	1350 - 1390	MBLA1400L
1400	1350 - 1390	MBLA1400R
1700	1650 - 1690	MBLA1700L
1700	1650 - 1690	MBLA1700R

Please Note: Cover strips do not come as standard and need to be ordered separately if required - [see page 112](#)

Optional Side Panel


Size	Adjustment Min - Max	Order Code
700	670 - 690	MBSP700
760	730 - 750	MBSP760
800	770 - 790	MBSP800
900	870 - 890	MBSP900
1000	970 - 990	MBSP1000



Push Release



Bottom Glide System




Slimline Threshold



1 Door Quadrant

Technical drawing.


1 Door Quadrant



Size	A	B	C
800 x 800	422	490	235
900 x 900	476	529	335
1000 x 1000	476	629	435

A = Door Opening
B = Fixed Straight Panel
C = Fixed Straight Panel

1 Door Offset Quadrant



Size	A	B	C
1000 x 800	422	490	435
1200 x 800	424	490	635
1200 x 900	475	529	635

A = Door Opening
B = Fixed Straight Panel
C = Fixed Straight Panel

Extension profiles available. See page 115.

6^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

1 Door Quadrants

The MBOX 1 Door Quadrants have a height of 1900mm and a ten year guarantee. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

Reversible.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Easy to install
- > Quick release double rollers for easy clean
- > Mershield protected glass
- > Chrome designer handle
- > 20mm adjustment per wall profile
- > Optional cover strips available - see page 112

1 Door Quadrants

Size	Adjustment Min - Max	Order Code
800 x 800	770 - 790	MB1Q800
900 x 900	870 - 890	MB1Q900
1000 x 1000	970 - 990	MB1Q1000
1000 x 800	970 - 990 770 - 790	MB1Q1080
1200 x 800	1170 - 1190 770 - 790	MB1Q1280
1200 x 900	1170 - 1190 870 - 890	MB1Q1290

Please Note: Cover strips do not come as standard and need to be ordered separately if required - see page 112




1 Door Offset Quadrant



2 Door Quadrant

Technical drawing.


2 Door Quadrant



A = Door Opening
B = Fixed Straight Panel
C = Fixed Straight Panel

Size	A	B	C
800 x 800	410	235	235
900 x 900	524	335	335

2 Door Offset Quadrant



A = Door Opening
B = Fixed Straight Panel
C = Fixed Straight Panel

Size	A	B	C
900 x 760	432	195	335
900 x 800	473	235	335
1000 x 800	465	235	435
1200 x 800	465	235	635
1200 x 900	524	335	635

Extension profiles available. See page 115.



**6^{MM}
GLASS
THICKNESS**

**LIFETIME
GUARANTEE**

**MERSHIELD
STAYCLEAR**

2 Door Quadrants

The MBOX 2 Door Quadrants have a height of 1900mm and a ten year guarantee. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

Loft height available.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Magnetic seals
- > Easy to install
- > Quick release double rollers for easy clean
- > Mershield Stayclear
- > Chrome designer handle
- > 20mm adjustment per wall profile
- > Loft height available
- > Optional cover strips available - [see page 112](#)

2 Door Quadrants

Size	Adjustment Min - Max	Order Code
800 x 800	770 - 790	MB2Q800
900 x 900	870 - 890	MB2Q900
900 x 760	870 - 890 730 - 750	MB2Q9076
900 x 800	870 - 890 770 - 790	MB2Q8090
1000 x 800	970 - 990 770 - 790	MB2Q1080
1200 x 800	1170 - 1190 770 - 790	MB2Q1280
1200 x 900	1170 - 1190 870 - 890	MB2Q1290

Please Note: Cover strips do not come as standard and need to be ordered separately if required - [see page 112](#)
Please Note: Cover strips do not come as standard and need to be ordered separately if required - [see page 111](#)

2 Door Loft Quadrant (Height1800mm)

Size	Adjustment Min - Max	Order Code
800 x 800	770 - 790	MB2Q800/1800
900 x 900	870 - 890	MB2Q900/1800




2 Door Offset Quadrant



Pivot Door

Technical drawing.



A = Door Opening
B = Door Swing

Size	A	B
700	451	433
760	511	493
800	551	533
900	601	583
1000	671	653

Inline Panels available. See page 111.



Pivot Door

The MBOX Pivot Door has a height of 1900mm and a ten year guarantee. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

Ideal for restricted spaces.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Magnetic seals
- > Ideal for restricted spaces
- > Mershield protected glass
- > Chrome designer handle
- > 20mm adjustment per wall profile
- > Optional cover strips available
- see page 112

Pivot Door

Size	Adjustment Min - Max	Order Code
700	650 - 690	MBP700
760	710 - 750	MBP760
800	750 - 790	MBP800
900	850 - 890	MBP900
1000	950 - 990	MBP1000

Please Note: Cover strips do not come as standard and need to be ordered separately if required - see page 112

Optional Side Panel

Size	Adjustment Min - Max	Order Code
700	670 - 690	MBSP700
760	730 - 750	MBSP760
800	770 - 790	MBSP800
900	870 - 890	MBSP900
1000	970 - 990	MBSP1000

Optional Inline Panel

Size	Adjustment Min - Max	Order Code
150	130 - 150	MBN150
210	190 - 210	MBN210


Measurements above are for both Pivot Door with Side Panel and in a Recess.

Inline Panels above are for both Pivot Door and Bifold Door options. For more information on Inline Panels see page 111



Bifold Door

Technical drawing.



Size	A
700	370
760	430
800	470
900	570
1000	670

A = Door Opening

Extension profiles available. See page 115.



4^{MM}
GLASS
THICKNESS



LIFETIME
GUARANTEE



MERSHIELD
STAYCLEAR

Bifold Door

The MBOX Bifold Door has a height of 1900mm with 4mm toughened glass. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

Loft height available.

features.

- > Height 1900mm
- > 4mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Magnetic seals
- > Mershield protected glass
- > Chrome designer handle
- > Loft height available
- > 20mm adjustment per wall profile
- > Optional cover strips available
- see page 112

Bifold Door

Size	Adjustment Min - Max	Order Code
700	650 - 690	MBB700
760	710 - 750	MBB760
800	750 - 790	MBB800
900	850 - 890	MBB900
1000	950 - 990	MBB1000

Optional Side Panel

Size	Adjustment Min - Max	Order Code
700	670 - 690	MBSP700
760	730 - 750	MBSP760
800	770 - 790	MBSP800
900	870 - 890	MBSP900
1000	970 - 990	MBSP1000

Loft Bifold Door (Height 1800mm)

Size	Adjustment Min - Max	Order Code
760	710 - 750	MBB760/1800
800	750 - 790	MBB800/1800
900	850 - 890	MBB900/1800

Loft Side Panel (Height 1800mm)

Size	Adjustment Min - Max	Order Code
800	770 - 790	MBSP800/1800
900	870 - 890	MBSP900/1800


Measurements above are for both Bifold Door with a Side panel and in a Recess.

Please Note: Cover strips do not come as standard and need to be ordered separately if required - see page 112



Corner Door

Technical drawing.



Size	A	B
760 x 760	345	310
800 x 800	375	330
900 x 900	444	380

A = Door Opening
B = Fixed Panels

Extension profiles available. See page 115.



Corner Door

The MBOX Corner Door has a height of 1900mm with 6mm toughened glass. Easy to install in three steps. Magnetic seals with 20mm adjustment per wall profile.

features.

- > Height 1900mm
- > 6mm toughened safety glass
- > 10 year guarantee
- > Reversible
- > Magnetic seals
- > Easy to install
- > Mershield protected glass
- > Chrome designer handle
- > UKCA & CE Approved
- > 20mm adjustment per wall profile
- > Optional cover strips available
- see page 112

Corner Door

Size	Adjustment Min - Max	Order Code
760 x 760	730 - 750	MBC760
800 x 800	770 - 790	MBC800
900 x 900	870 - 890	MBC900

Please Note: Cover strips do not come as standard and need to be ordered separately if required - see page 112





10^{MM}
GLASS
THICKNESS

8^{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

versa

MERLYN Wetrooms offer you the ultimate in versatility and luxury. Whether you are after the New York style loft appeal or you need to create a bathroom with inclusive design, then Wetroom Panels are the solution for you.

Why choose MERLYN Wetrooms?

Choice of glass

Available in 10mm and 8mm glass and up to a height of 2015mm, the MERLYN Wetrooms offer you choice to suit our space.

A solution for every situation

The MERLYN Wetrooms provide several additional options to complement your wetroom panels for whatever you need to achieve within your bathroom.

A Wetroom even for small spaces

The MERLYN Single and Double Folding wetroom panels are the solution to create a wetroom finish within bathrooms that have space restrictions. Merlyn offer you a solution for every space.



Wetroom Panels

Luxurious Wetroom Panels, crafted with our signature 10mm glass. Each Wetroom panel comes with a wall profile you can tailor with various options such as; stabilising bars, end, swivel or cube panels and flush wall and floor profiles. Pick and choose from the 9 additional options to give your wetroom the luxurious finish.



features.

- > Height 2000mm
- > 3M support post can be retro-fitted to glass thicknesses of 6mm, 8mm and 10mm
- > Reversible
- > Choice of additional options to tailor your wetroom to suit your space
- > Suitable for a recess or corner situation
- > Suitable for wetroom and shower tray application
- > All wetroom panels include a wall profile

8mm Wetroom Panels			
Size	Adjustment Min-Max	Code excluding stabilising bar	Code including stabilising bar
300**	275-290	A0409J0	
400**	375-390	A0409K0	
500**	475-490	A0409L0	
600**	575-590	A0409M0	
700**	675-690		A0409A0
760	735-750		A0409N0
800**	775-790		A0409B0
900**	875-890		A0409C0
1000	975-990		A0409D0
1100	1075-1090		A0409F0
1200	1175-1190		A0409E0
1400	1375-1390		A0409G0
1600	1575-1590		A0409H0
200	Swivel Panel	A0413H0	A0413H0
300	Swivel Panel	A0413G0	A0413G0
400	Swivel Panel	A0413J0	A0413J0

10mm Wetroom Panels	
Code excluding stabilising bar	Code including stabilising bar
S10SW300	S10SW300H
S10SW400	S10SW400H
S10SW500	S10SW500H
S10SW600	S10SW600H
S10SW700	S10SW700H
S10SW800	S10SW800H
S10SW900	S10SW900H
S10SW1000	S10SW1000H
S10SW1100	S10SW1100H
S10SW1200	S10SW1200H
S10SW1400	S10SW1400H
*M8SWS30 N	M8SWS30 N

*Swivel Panel with 8mm Glass fits 10mm Wetroom Panel

Further Options 8mm & 10mm

Size	Product	Code
350	A) Angled Stabilising Bar	SP08SCU12320
300	J) Cube Panel 8mm Glass	A0413F0 N
max 3 metres	I) Vertical Post	A0417C0 N
2000	K) Corner Profile-Glass to Glass Profile	A04S0003
400	C) Ceiling Bracing Bar	CBB440

8mm Fitting Options

Size	Product	Order Code
1000	B) Versa 8 1000mm Round Stabilising Bar	A0417A0
1500	B) Versa 8 1500mm Round Stabilising Bar	A0S0105
-	Versa 8 T Piece Bracket	A04S0010


10mm Fitting Options

Size	Product	Order Code
1000	B) Versa 10 1000mm Stabilising bar	SPOS8TRSET
-	Versa 10 T Piece Bracket	SP0S8RTPSET
1400	E) Versa 10 Flush Wall Profile	SP02000FWP
-	F) Versa 10 Flush Floor Profile	SP01400FFP
-	D) Versa 10 Slim U Channel	MGVC35

Versa: Please Note: We recommend the use of a stabilising bar for any wetroom panel over 900mm. **Cube Panel must be fitted on a flat tray/wetroom situation. Please note: Max height of ceiling bar from top of glass is 400mm with stabilising bar. These are available as bespoke options. We recommend a minimum opening space of 500mm. Please contact Customer Services for sizes and prices.

How it Works

If you wanted to make up a Walk In Wetroom for an area to fit on to a 1200mm x 800mm tray or floor. You pick a panel (700mm) and a panel (800mm), this also includes the recommended 500mm minimum opening for the Walk In.



Wetroom Panel



Wetroom Panel with Swivel Panel & Stabilising Bar



Wetroom Panel with Vertical Post



Wetroom Cube Panel with End Panel



Wetroom with End Panel



Corner Wetroom Panel

Fitting Options




A) Angled Bar



B) Stabilising Bar




C) Ceiling Bracing Bar



D) U Channel



E) Flush Wall Profile



F) Flush Floor Profile



Double Folding Wetroom Panel - Folded Inwards



Double Folding Wetroom Panel

Pivot Wetroom Panels - Single & Double

The Versa | 8 Pivot Wetroom panels offers you the choice of a single wetroom panel, perfect for tight spaces, or a double wetroom panel which creates an enclosed corner situation. Choices to create the space you desire.

features.

- > Height 1950mm
- > Solid chrome double handle
- > Cover caps
- > Space saving solution
- > Inward and outward opening swing
- > Concealed fixings
- > Reversible
- > Wetroom compatible

Pivot Wetroom Panels / Single		
Size	Adjustment	Order Code
760	690-710	S8FPV76
800	730-750	S8FPV80
900	830-850	S8FPV90
1000	930-950	S8FPV100

Please Note: We recommend fitting this product in a Wetroom situation only.

Pivot Wetroom Panels / Double		
Size	Adjustment	Order Code
760 x 760	690-710	S8FPC76H
800 x 800	730-750	S8FPC80H
900 x 900	830-850	S8FPC90H
1000 x 1000	930-950	S8FPC100H

Please Note: We recommend fitting this product in a Wetroom situation only.



Wetroom Panel / Overhead shot

Curved Wetroom Panels

The beautiful curved glass of the new 8 Series Curved Wetroom panel follows the contour of your offset quadrant tray, giving a softer finish. The extra length of the curved panel also deflects water spray inwards. This frameless design boasts Mershield Stayclear, ensuring peace of mind with the Merlyn Lifetime Guarantee.

features.

- > Height 2015mm including rail
- > Minimalist frameless design
- > Reversible
- > Suitable for wetroom and shower tray application
- > Can be used with 800mm or 900mm trays
- > Can be fitted on a rectangular tray using the panel foot below.

Curved Wetroom Panels

Size	Tray Finish Adjustment	Order Code*
1200	1185-1200	S8CURV1200

Tray for this product is handed. Please choose L for Left Handed and R for Right Handed.

Curved Wetroom Panel Foot


Order Code
S8CSWLEG

Used to support the bottom corner where there is a gap between the tray and the shower wall. e.g. when used on a rectangular.

technical drawing.

Wetroom application

Tray application



A = Panel length
B = Panel depth
C = Panel opening
D = Distance from the wall to the outside of the frame should be max 970mm. This is to allow the stabilising bar to reach the wall.

Panel Size	Tray Size	A	B	C
1200	1200 x 800	1110	275	500
	1200 x 900	1110	275	600

We recommend a minimum opening of 500mm.



Wetroom Panels with Hinged Swivel Panels

The Versa | 8 wetroom panels offers you the choice of a single wetroom panel, perfect for tight spaces, or a double wetroom panel which creates an enclosed corner situation. Choices to create the space you desire.

features.

- > Height 1950mm
- > Solid chrome double handle
- > Cover caps
- > Space saving solution
- > Inward and outward opening swing
- > Concealed fixings
- > Reversible
- > Wetroom compatible

Wetroom Panels with Hinged Swivel Panels			
Size	Front Panel	Swivel Panel	Order Code
1050	700	350	M8SW251
1250	900	350	M8SW261
1350	1000	350	M8SW271

Please Note: We recommend a minimum opening space of 500mm.



Folding Wetroom Panel / Double - closed



Folding Wetroom Panel / Double - open

Folding & Double Folding Wetroom Panels

The Versa | 8 wetroom panels offers you the choice of a single wetroom panel, perfect for tight spaces, or a double wetroom panel which creates an enclosed corner situation. Choices to create the space you desire.

features.

- > Height 1950mm
- > Solid chrome double handle
- > Cover caps
- > Space saving solution
- > Inward and outward opening swing
- > Concealed fixings
- > Reversible
- > Wetroom compatible

Folding Wetroom Panels

Size	Adjustment	Order Code
760	680-700	M87111
800	720-740	M87211
900	820-840	M87221
1000	920-940	M87231

Please Note: We recommend fitting this product in a Wetroom situation only.

Double Folding Wetroom Panels

Size	Adjustment	Order Code
760 x 760	715-735	M86101H
800 x 800	755-775	M86102H
900 x 900	855-875	M86103H
1000 x 1000	955-975	M86104H

Please Note: We recommend fitting this product in a Wetroom situation only.

6^{MM}
GLASS
THICKNESS

8^{MM}
GLASS
THICKNESS


LIFETIME
GUARANTEE

MERSHIELD
STAYCLEAR

Bath Screens

Innovative design and contemporary aesthetics bring this bathroom favourite to life. This modern collection has been created with the same superb materials and unrelenting attention to detail demonstrated across all MERLYN ranges.

Why choose MERLYN Bath Screens?



180° inwards swing

The signature piece of this range, the Two Panel Hinged Bath Screen features a secure 180° inwards swing which means you can position the glass where you can comfortably deflect water into the bath and not on to the floor!

Tested for quality & safety

All products are rigorously tested by us and by global health and safety experts to make sure they adhere to the highest quality standards.

Rise and fall

All MERLYN Bath Screens have a rise and fall hinge to make it easier for you to open.

HydraSEAL

We have created an exciting new feature, exclusive to MERLYN Bath Screens called HydraSEAL

HydraSEAL acts as an extra barrier, sealing the gap between the seal and the pivot point where water can usually escape. It contains a high density foam that compresses on to the bath screen to form a tight seal and restricts water escaping from this problem area.

HydraSEAL is now available on our MB1, MB2, MB3, MB3A and MB3B bath screens.

HydraSEAL creates a barrier to restrict leaking!



MB12
Bathscreen


5mm
GLASS
THICKNESS

LIFETIME
GUARANTEE



Pivot Square

Size	Panel	Order Code
800 x 1400	1	MB12



Door Swing: 90° in and out
 B: Radius of Screen Swing = 735mm
 ☐ Recommended shower head position

MB0
Bathscreen


6mm
GLASS
THICKNESS

LIFETIME
GUARANTEE



Fixed Square

Size	Panel	Order Code
800 x 1500	1	MB0



☐ Recommended shower head position

MB1
Bathscreen

6mm
GLASS
THICKNESS


LIFETIME
GUARANTEE



Now featuring
HydraSEAL

Single Curved

Size	Panel	Order Code
800 x 1500	1	MB1



Door Swing: 90° in and out
 B: Radius of Screen Swing = 733mm
 ☐ Recommended shower head position




MB2
Bathscreen



Now featuring
HydraSEAL

Single Square

Size	Panel	Order Code
800 x 1500	1	MB2



Door Swing: 90° in and out
 B: Radius of Screen Swing = 733mm
 Recommended shower head position



MB3
Bathscreen




Now featuring
HydraSEAL

2 Panel Curved

Size	Panel	Order Code
1150 x 1500	2	MB3

Includes Towel Rail and Shelves



Door Swing: 90° in and out
 A: Fixed Panel B: Radius of Screen Swing = 733mm
 Recommended shower head position




MB3A
Bathscreen



Now featuring
HydraSEAL

2 Panel Folding Curved

Size	Panel	Order Code
900 x 1500	2	MB3A



Door Swing: 90° in and out
 A: Fixed Panel B: Radius of Screen Swing = 483mm
 Recommended shower head position




MB3B
Bathscreen



Now featuring
HydraSEAL

2 Panel Folding Square

Size	Panel	Order Code
900 x 1500	2	MB3B



Door Swing: 90° in and out
 A: Fixed Panel B: Radius of Screen Swing = 483mm
 Recommended shower head position




MB13
Bathscreen

6mm GLASS THICKNESS

LIFETIME GUARANTEE

2 Panel Folding

Size	Panel	Order Code
1100 x 1500	2	MB13



Door Swing: 180 degree radius of screen swing inwards only
 Recommended shower head position



MB6
Bathscreen


8mm GLASS THICKNESS

LIFETIME GUARANTEE

ANTI-SWITCH STAYCLEAR

Hinged Square

Size	Panel	Order Code
850 x 1500	1	MB6



Door Swing: 90° outward swing only
 B: Radius of Screen Swing = 810mm
 Recommended shower head position



MB7
Bathscreen


8mm GLASS THICKNESS

LIFETIME GUARANTEE

ANTI-SWITCH STAYCLEAR

2 Panel Hinged

Size	Panel	Order Code
900 x 1500	2	MB7L (L/H)
900 x 1500	2	MB7R (R/H)



Door Swing: 180 Degrees inwards only
 A: Fixed Panel = 497mm
 B: Radius of Screen Swing = 383mm
 Recommended shower head position



MB8
Bathscreen


8mm GLASS THICKNESS

LIFETIME GUARANTEE

ANTI-SWITCH STAYCLEAR

2 Panel Folding

Size	Panel	Order Code
1100x1500	2	MB8



Door Swing: 180 degree radius of screen swing inwards and outwards
 Recommended shower head position





MERLYN

trays

Beautifully sculpted shower trays, angled and contoured to match all enclosures and spaces, achieving the perfect combination of luxury, elegance and durability.

LUXURIOUS TEXTURED SLATE TRAYS


Beautifully handcrafted and ultra-low slate trays, elegant in appearance and luxurious to touch. With 5 finishes to choose from - Black, Sandstone, Graphite, White and Fossil Grey.

These trays will bring an element of natural beauty and a truly designer finish to your bathroom.



Features

- > Ultra Slim: only 30mm in height.
- > Handcrafted from high grade stone resin.
- > 5 Colour Options - Black, Sandstone, Graphite, White and Fossil Grey.
- > Integrated Discreet Waste.
- > Luxurious Textured Finish.
- > Can be fitted on or level with floor.
- > Comes with 90mm Fast Flow Waste.
- > Our self cleaning vortex design: Offers a maintenance free solution as it doesn't require any cleaning.
- > Please Note: Images are for illustrative purposes only. The colours & finishes shown in the catalogue are as accurate as possible within the limits of the printing process.



MERLYN Branded Waste Cover

Please ensure that the shower head is not positioned directly over the waste as this may restrict flow rate.



CHOOSE YOUR COLOUR



White
Code W



Fossil Grey
Code F



Graphite
Code G



Black
Code B



Sandstone
Code S

All tray codes need the corresponding colour code at the end. (See below) e.g. T108RTW

Rectangular & Square Trays (comes with MERLYN 90mm fast flow waste)

Size	Order Code
900 x 900	T90RT
1000 x 800	T108RT
1200 x 800	T128RT
1200 x 900	T129RT
1400 x 800	T148RT
1400 x 900	T149RT
1500 x 800	T158RT
1500 x 900	T159RT
1600 x 800	T168RT
1600 x 900	T169RT
1700 x 800	T178RT
1700 x 900	T179RT

All tray codes need the corresponding colour code at the end. (See below) e.g. T108RTW

Quadrant Tray (comes with MERLYN 90mm fast flow waste)

Size	Order Code
900 x 900	T90Q


All tray codes need the corresponding colour code at the end. (See below) e.g. T90QW

Offset Quadrant Tray (comes with MERLYN 90mm fast flow waste)

Size	Order Code
1000 x 800	T108H (L or R)
1200 x 900	T129H (L or R)

All tray codes need the corresponding colour code at the end. (See below) e.g. T108HW

This product is handed – please choose L for Left Hand and R for Right Hand when ordering.



SLIP RESISTANT TRAYS

We have carried out all the testing to give you and your family the peace of mind of showering in a safe environment and the splendour of this natural stone effect.




Scan me for
more information



Exceeds Class C for DIN 51097 - Barefoot ramp test.
This ranks MERLYN in a premium class.





Square tray



Quadrant tray

This product is handed – please choose L for Left Hand and R for Right Hand when ordering.



Level25-SR rectangle tray



Level25 rectangle tray

Slip Resistant Tray

Standard Tray

LEVEL25^{SR}

Rectangular & Square Trays

Rectangular & Square Trays (comes with MERLYN 90mm fast flow waste)

Size	Order Code
900 x 900	L90SQAS
1000 x 800	L108RTAS
1000 x 900	L109RTAS
1100 x 800	L118RTAS
1100 x 900	L119RTAS
1200 X 800	L128RTAS
1200 x 900	L129RTAS
1300 x 800	L138RTAS
1300 x 900	L139RTAS
1400 x 760	L1476RTAS
1400 x 800	L148RTAS
1400 x 900	L149RTAS
1500 x 800	L158RTAS
1500 x 900	L159RTAS
1600 x 800	L168RTAS
1600 x 900	L169RTAS
1700 x 800	L178RTAS
1700 x 900	L179RTAS

LEVEL25¹

Rectangular & Square Trays

Rectangular & Square Trays (comes with MERLYN 90mm fast flow waste)

Size	Order Code
900 x 900	L90SQ
1000 x 800	L108RT
1000 x 900	L109RT
1100 x 800	L118RT
1100 x 900	L119RT
1200 x 760	L1276RT
1200 x 800	L128RT
1200 x 900	L129RT
1300 x 800	L138RT
1300 x 900	L139RT
1400 x 760	L1476RT
1400 x 800	L148RT
1400 x 900	L149RT
1500 x 800	L158RT
1500 x 900	L159RT
1600 x 800	L168RT
1600 x 900	L169RT
1700 x 760	L1776RT
1700 x 800	L178RT
1700 x 900	L179RT

LEVEL25[®]


Feature Highlights

- > Ultra slim 25mm low level tray
- > Sleek minimalist design
- > Discreet integrated waste cover
- > Can be fitted on or level with floor
- > Comes with 90mm fast flow waste
- > Shower tray 25 year guarantee
- > Available in square, rectangular and quadrant



EASY CLEAN

All you need is a soft cloth and warm soapy water.



QUALITY LOOK AND FEEL

The luxury satin look and feel is designed to give confidence while not feeling harsh underfoot.



**25 YEARS
GUARANTEE**

Level 25 Tray

1. Top acrylic capped ABS layer
2. Stone Resin
3. Bottom ABS layer (encapsulates the tray)

Slip Resistant Tray

LEVEL25¹-SR

Quadrant Tray

Quadrant Tray (comes with MERLYN 90mm fast flow waste)

Size		Order Code
900x900		L90QAS
*1200x900	LH	L129QLAS
*1200x900	RH	L129QRAS

Standard Tray

LEVEL25¹

Quadrant Tray

Quadrant Tray (comes with MERLYN 90mm fast flow waste)

Size		Order Code
900x900		L90Q
*1200x900	LH	L129QL
*1200x900	RH	L129QR



*This product is handed – please choose L for Left Hand and R for Right Hand when ordering.

DISCLAIMER

Please note: The Level 25 tray must be fitted with the waste positioned along the back wall and not to the front.





Features

- > 10 Year Guarantee
- > Single skinned with moulded solid under section
- > 50mm high to achieve minimalist design
- > Available as low level or with tray panel kits for easy installation
- > Antislip is manufactured into the coating and won't wear
- > 135mm high including tray panel kit
- > Compatible 90mm fast flow waste also available
- > The Touchstone tray is capped with an easy to clean surface that provides a chemical resistant, anti-bacterial solution due to it's ultra-smooth, non-porous surface.
- > More than 30 sizes available

Slip Resistant Tray

TOUCHSTONE-SR

Rectangular & Square Trays

Size	Order Code	Tray Panel Kit
800 x 800	S80SQAS	Kit 4
900 x 900	S90SQAS	Kit 4
900 x 800	S980RTAS	Kit 4
1000 x 800	S108RTAS	Kit 4
1000 x 900	S109RTAS	Kit 4
1100 x 800	S118RTAS	Kit 4
1200 x 700	S127RTAS	Kit 4
1200 x 760	S1276RTAS	Kit 4
1200 x 800	S128RTAS	Kit 4
1200 x 900	S129RTAS	Kit 4
1400 x 700	S147RTAS	Kit 3
1400 x 800	S148RTAS	Kit 3
1400 x 900	S149RTAS	Kit 3
1500 x 760	S1576RTAS	Kit 3
1500 x 800	S158RTAS	Kit 3
1500 x 900	S159RTAS	Kit 3
1600 x 700	S167RTAS	Kit 3
1600 x 800	S168RTAS	Kit 3
1600 x 900	S169RTAS	Kit 3
1685 x 700	S177RTAS	Kit 3
1700 x 800	S178RTAS	Kit 3
1700 x 900	S179RTAS	Kit 3

*Waste is centred on 1700x800 & 1700x900 trays.

Waste Complete Only

Order Code

DWAS

Tray Panel Kits (including Legs)

Tray Panel Kit	Order Code
Kit 1	DRK1
Kit 2	DRK2
Kit 3	DRK3
Kit 4	DRK4

90mm fast flow waste, includes hair trap and chrome cover.



Standard Tray

TOUCHSTONE

Rectangular & Square Trays

Tray Size	Order Code	Tray Panel Kit
760 x 760	S76SQ	Kit 4
800 x 800	S80SQ	Kit 4
900 x 900	S90SQ	Kit 4
800 x 700	S870RT	Kit 4
800 x 760	S876RT	Kit 4
900 x 700	S970RT	Kit 4
900 x 760	S976RT	Kit 4
900 x 800	S980RT	Kit 4
1000 x 700	S107RT	Kit 4
1000 x 760	S1076RT	Kit 4
1000 x 800	S108RT	Kit 4
1000 x 900	S109RT	Kit 4
1100 x 800	S118RT	Kit 4
1200 x 700	S127RT	Kit 4
1200 x 760	S1276RT	Kit 4
1200 x 800	S128RT	Kit 4
1200 x 900	S129RT	Kit 4
1300 x 800	S138RT	Kit 3
1400 x 700	S147RT	Kit 3
1400 x 760	S1476RT	Kit 3
1400 x 800	S148RT	Kit 3
1400 x 900	S149RT	Kit 3
1500 x 700	S157RT	Kit 3
1500 x 760	S1576RT	Kit 3
1500 x 800	S158RT	Kit 3
1500 x 900	S159RT	Kit 3
1600 x 700	S167RT	Kit 3
1600 x 800	S168RT	Kit 3
1600 x 900	S169RT	Kit 3
1685 x 700	S177RT	Kit 3
1680 x 760	S1776RT	Kit 3
1700 x 800*	S178RT	Kit 3
1700 x 900*	S179RT	Kit 3
1800 x 800 NEW	S188RT	-

*Waste is centred on 1700x800 & 1700x900 trays.

Design Details



Graduated adjustable leg and easy-fit tray panel kit.



90mm fast flow waste, includes hair trap and chrome cover.



Graduated adjustable leg system.



Quadrant



Offset Quadrant

This product is handed – please choose L for Left Hand and R for Right Hand when ordering.



Image above shown as Left Handed (L)

Slip Resistant Tray

TOUCHSTONE-SR

Quadrant Tray

Size	Order Code	Tray Panel Kit
800 x 800	S80QAS	Kit 2
900 x 900	S90QAS	Kit 2
*1000 x 800 LH	S108QLAS	Kit 1
*1000 x 800 RH	S108QRAS	Kit 1
*1200 x 800 LH	S128QLAS	Kit 1
*1200 x 800 RH	S128QRAS	Kit 1
*1200 x 900 LH	S129QLAS	Kit 1
*1200 x 900 RH	S129QRAS	Kit 1

Standard Tray

TOUCHSTONE

Quadrant Tray

Tray Size	Order Code	Tray Panel Kit
800 x 800	S80Q	Kit 2
900 x 900	S90Q	Kit 2
*1000 x 800 LH	S108QL	Kit 1
*1000 x 800 RH	S108QR	Kit 1
*1200 x 800 LH	S128QL	Kit 1
*1200 x 800 RH	S128QR	Kit 1
*1200 x 900 LH	S129QL	Kit 1
*1200 x 900 RH	S129QR	Kit 1

Design Details



Graduated adjustable leg and easy-fit tray panel kit.



90mm fast flow waste, includes hair trap and chrome cover.



Graduated adjustable leg system.



90mm fast flow waste, includes hair trap and chrome cover.



6 | series

Inline Panel - *Space Solutions*

Our 6 Series range includes the option of additional Inline Panels to ensure the 6 Series can be used in any space from 670mm to 1915mm. Simply choose the adjustment for your space and we will create the ideal combination for you.

Inline Panels

6 Series Inline Panels	
Adjustment/ Wetroom Min-Max	Order Code
140	M6125
215	M61200

Sliding Door - and Inline Panel

Sliding Door			
Size	Size of Door Supplied	Order Code	Inline Panel Supplied
950-1000	1000	M68231	-
1050-1100	1100	M68251	-
1065-1140	1000	M68231P1H	140
1140-1215	1000	M68231P2H	215
1150-1200	1200	M68241	-
1165-1240	1100	M68251P1H	140
1240-1315	1100	M68251P2H	215
1265-1340	1200	M68241P1H	140
1340-1415	1200	M68241P2H	215
1350-1400	1400	M68291	-
1360-1460	1100	M68251PPH	140+215
1450-1500	1500	M68261	-
1465-1540	1400	M68291P1H	140
1540-1615	1400	M68291P2H	215
1550-1600	1600	M68271	-
1565-1640	1500	M68261P1H	140
1640-1715	1500	M68261P2H	215
1650-1700	1700	M68281	-
1665-1740	1600	M68271P1H	140
1740-1815	1600	M68271P2H	215
1765-1840	1700	M68281P1H	140
1840-1915	1700	M68281P2H	215

Please add 20mm to size when using with a Side Panel.
Optional Side Panel available: See Page 53.

Bifold Door - and Inline Panel

Sliding Door			
Size	Size of Door Supplied	Order Code	Inline Panel Supplied
670-720	700	M67201 N	-
690-740	700	M67201H	EXT
740-790	760/800	M67211 N	-
785-860	700	M67201PH	140
850-900	900	M67221 N	-
860-935	700	M67201P2H	215
930-1005	760/800	M67211P2H	215
950-1000	1000	M67231 N	-
965-1040	900	M67221P1H	140
1040-1115	900	M67221P2H	215
1065-1140	1000	M67231P1H	140
1140-1215	1000	M67231P2H	215

Please add 20mm to size when using with a Side Panel.
Optional Side Panel available: See Page 57.

Pivot Door - and Inline Panel

Pivot Door			
Size	Size of Door Supplied	Order Code	Inline Panel Supplied
670-720	700	M61201 N	-
690-740	700	M61201H	EXT
740-790	760/800	M61211 N	-
785-860	700	M61201P1H	140
850-900	900	M61221 N	-
860-935	700	M61211P1H	215
930-1005	760/800	M61211P2H	215
950-1000	1000	M61231 N	-
965-1040	900	M61221P1H	140
1040-1115	900	M61221P2H	215
1065-1140	1000	M61231P1H	140
1140-1215	1000	M61231P2H	215

Please add 20mm to size when using a Side Panel
Optional Side Panel available: See page 55.

8 | series

Inline Panel - *Space Solutions*

Our 8 Series range includes the option of additional Inline Panels to ensure the 8 Series can be used in any space from 650mm to 1900mm. Simply choose the adjustment for your space and we will create the ideal combination for you.

Inline Panels

8 Series Inline Panels

Adjustment/ Wetroom Min-Max	Order Code*
150	M8P140
210	M8P2200

Sliding Door - and Inline Panel

Sliding Door

Size	Size of Door Supplied	Order Code	Inline Panel Supplied
950-990	1000	M88231	-
1050-1090	1100	M88251	-
1080-1140	1000	M88231P1H	150
1140-1200	1000	M88231P2H	210
1150-1190	1200	M88241	-
1180-1240	1100	M88251P1H	150
1240-1300	1100	M88251P2H	210
1280-1340	1200	M88241P1H	150
1340-1400	1200	M88241P2H	210
1250-1290	1300	M88240	-
1350-1390	1400	M88291	-
1370-1450	1100	M88251H	150+210
1450-1490	1500	M88261	-
1480-1540	1400	M88291P1H	150
1540-1600	1400	M88291P2H	210
1550-1590	1600	M88271	-
1580-1640	1500	M88261P1H	150
1640-1700	1500	M88261P2H	210
1650-1690	1700	M88281	-
1680-1740	1600	M88271P1H	150
1740-1800	1600	M88271P2H	210
1780-1840	1700	M88281P1H	150
1840-1900	1700	M88281P2H	210

Please add 20mm to size when using with a Side Panel.
Optional Side Panel available: See Page 41.

Hinge Door - and Inline Panel

Sliding Door

Size	Size of Door Supplied	Order Code	Inline Panel Supplied
650-690	700	M81201	-
670-710	700	M81201H	EXT.
710-750	760	M81210	-
750-790	800	M81211	-
780-840	700	M81201PH	150
840-900	700	M81210P1H	210
850-890	900	M81221	-
900-960	760	M81210P2H	210
950-990	1000	M81231	-
940-1000	800	M81211PH	210
980-1040	900	M81221P1H	150
1040-1100	900	M81221P2H	210
1080-1140	1000	M81231P1H	150
1140-1200	1000	M81231P2H	210

Please add 20mm to size when using with a Side Panel.
Optional Side Panel available: See Page 43.

Infold Door - and Inline Panel

Sliding Door

Size	Size of Door Supplied	Order Code	Inline Panel Supplied
650-690	700	M84401	-
670-710	700	M84401H	EXT.
710-750	760	M84410	-
750-790	800	M84411	-
780-840	700	M84401P1H	150
840-900	700	M84401P2H	210
850-890	900	M84421	-
900-960	760	M84410P1H	210
950-990	1000	M84431	-
940-1000	800	M84411P2H	210
980-1040	900	M84421P1H	150
1040-1100	900	M84421P2H	210
1080-1140	1000	M84431P1H	150
1140-1200	1000	M84431P2H	210

Please add 20mm to size when using with a Side Panel.
Optional Side Panel available: See Page 45

Inline Panel - *Space Solutions*

MBOX also offers you additional Inline Panel options. A great solution for spaces which don't suit standard size enclosures. The two Inline Panel sizes each combined with our existing Sliding, Bifold and Pivot Doors, can make an enclosure to fit any space from 650mm to 1900mm wide.



Bifold Door
with Inline Panel

Pivot Door
with Inline Panel

Sliding Door
with Inline Panel

Sliding Door - and Inline Panel

Sliding Door				
Code	Door Size	Door Adjustment	Inline Panels / Profile	Final Adjustment
MBS1000	1000	950-990	- EXT Profile	950-990 970-1010
MBS1000	1000	950-990	3 EXT Profile	990-1050
MBS1100	1100	1050-1090	- EXT Profile	1050-1090 1070-1110
MBS1000	1000	950-990	150 Inline 210 Inline	1080-1140 1140-1200
MBS1100	1100	1050-1090	150 Inline 210 Inline	1180-1240 1240-1300
MBS1200	1200	1150-1190	150 Inline	1280-1340
MBS1400	1400	1350-1390	- EXT Profile	1350-1390 1370-1410
MBS1100	1100	1050-1090	150+210 Inlines	1370-1450
MBS1500	1500	1450-1490	- EXT Profile	1450-1490 1470-1510
MBS1400	1400	1350-1390	150 Inline 210 Inline	1480-1540 1540-1600
MBS1500	1500	1450-1490	150 Inline 210 Inline	1580-1640 1640-1700
MBS1600	1600	1550-1590	150 Inline 210 Inline	1680-1740 1740-1800
MBS1700	1700	1650-1690	150 Inline 210 Inline	1780-1840 1840-1900

Pivot Door - and Inline Panel

Pivot Door				
Code	Door Size	Door Adjustment	Inline Panels / Profile	Final Adjustment
MBP700	700	650-690	- EXT Profile	650-690 670-710
MBP760	760	710-750	-	710-750
MBP800	800	750-790	- EXT Profile	750-790 770-810
MBP700	700	650-690	150 Inline 210 Inline	780-840 840-900
MBP760	760	710-750	210 Inline	900-960
MBP1000	1000	950-990	EXT profile	970-1010
MBP900	900	850-890	150 Inline 210 Inline	980-1040 1040-1100
MBP1000	1000	950-990	150 Inline 210 Inline	1080-1140 1140-1200

Bifold Door - and Inline Panel


Bifold Door				
Code	Door Size	Door Adjustment	Inline Panels / Profile	Final Adjustment
MBB700	700	650-690	- EXT Profile	650-690 670-710
MBB760	760	710-750	-	710-750
MBB800	800	750-790	- EXT Profile	750-790 770-810
MBB700	700	650-690	150 Inline 210 Inline	780-840 840-900
MBB760	760	710-750	210 Inline	900-960
MBB1000	1000	950-990	EXT profile	970-1010
MBB900	900	850-890	150 Inline 210 Inline	980-1040 1040-1100
MBB1000	1000	950-990	150 Inline 210 Inline	1100-1140 1140-1200

MBOX

Cover Strips

Standard Panel Cover Strip Pack (2 Pieces)


Code	Size
MBWPKIT	1900



Without cover strip - chrome screw cover caps

Side Panel Cover Strip Pack (1 Piece)

Code	Size
MBSPKIT	1900






With cover strip - conceals all fixings

Inline Panel Cover Strip Pack (1 Piece)

Code	Size
MBNKIT	1900

Please note: Cover strips do not come as standard and need to be ordered separately if required.

Level 25 Trays - Waste Positions



Rectangular Trays

Size	Waste Position (A)	Waste Position (B)
1000 x 800	121.5	500
1000 x 900	121.5	500
1100x800	121.5	550
1100x900	121.5	550
1200x800	121.5	600
1200x900	121.5	600
1300x800	121.5	650
1300x900	121.5	650
1400x800	121.5	700
1400x900	121.5	700
1500x800	121.5	750
1500x900	121.5	750
1600x800	121.5	800
1600x900	121.5	800
1700x800	121.5	850
1700x900	121.5	850




Square Trays

Size	Waste Position (A)	Waste Position (B)
900 x 900	121.5	450

Quadrant Trays

Size	Waste Position (A)	Waste Position (B)
900 x 900	121.5	450
1200 x 900	121.5	600

Truestone Trays - Waste Positions



Rectangular Trays

Size	Waste Position (A)	Waste Position (B)
1000x800	200	400
1200x800	250	400
1200x900	250	450
1400x800	350	400
1400x900	350	450
1500x800	400	400
1500x900	400	450
1600x800	450	400
1600x900	450	450
1700x800	500	400
1700x900	500	450

Square Trays

Size	Waste Position (A)	Waste Position (B)
900 x 900	270	450

Quadrant Trays





Size	Waste Position (A)	Waste Position (B)
900 x 900	270	270

Offset Quadrant Trays

Size	Waste Position (A)	Waste Position (B)
1200 x 900	270	270

Please Note: For all trays, waste dimensions are to the centre of waste.

Touchstone Trays - Waste Positions



Rectangular Trays

Size	Waste Position (A)	Waste Position (B)
800 x 700	147	
800 x 760	147	
900 x 700	147	
900 x 760	147	
900 x 800	147	
1000 x 700	147	
1000 x 760	147	
1000 x 800	147	
1000 x 900	147	
1100 x 760	147	
1100 x 800	147	
1200 x 700	147	
1200 x 760	147	
1200 x 800	147	
1200 x 900	147	
1300 x 800	147	
1400 x 700	147	
1400 x 760	147	
1400 x 800	147	
1400 x 900	147	
1500 x 700	147	
1500 x 760	147	
1500 x 800	147	
1500 x 900	147	
1600 x 700	147	
1600 x 800	147	
1600 x 900	147	
1685 x 700	147	
1680 x 760	147	
1700 x 800	130	850
1700 x 900	130	850

Offset Quadrant Trays


Size	Waste Position (A)	Waste Position (B)
900 x 760 L	250	130
900 x 760 R	250	130
1000 x 800 L	350	130
1000 x 800 R	350	130
1200 x 800 L	450	130
1200 x 800 R	450	130
1200 x 900 L	450	130
1200 x 900 R	450	130
1400 x 800 L	510	300
1400 x 800 R	510	300

Square Trays

Size	Waste Position (A)	Waste Position (B)
760	147	
800	147	
900	147	

Quadrant Trays

Size	Waste Position (A)	Waste Position (B)
800	250	130
9800	350	130
1000	350	130



Waste is centred for 1700 x 800 S178RT and 1700 x 900 S178RT trays

Product Information

We have produced this product section to help you with your purchasing decision. For further information please contact your local stockist, details of which can be found at www.merlynshowering.com



Product information

All products are manufactured in accordance with EN14428 and utilise toughened safety glass to EN 12150.

All shower trays are manufactured in accordance with EN14527.

All doors feature adjustable wall profiles to compensate for out-of-true walls and have micro adjustment features for fine tuning to obtain a perfect fit and operating action.

All enclosures, wetrooms and panels are Power Shower approved – will retain water under normal showering conditions.

Water retention is maintained in all products under normal showering conditions.

A selection of MERLYN enclosures are frameless in design. Spray/mist may escape therefore we would recommend use of these enclosures with tiled floors.

Opened cartons can not be returned. Returns carry a €40 box charge or €60 per unit where the sale is less than 30 days old. Returns over 30 days old will not be accepted.

All products are supplied complete with full installation instructions and the necessary fixings.

Check with your dealer for accurate matching of material samples. Product descriptions do not imply the use of precious or valuable materials.

Our policy of reviewing product design and development on a regular basis means Merlyn reserve the right to change product specifications and prices without notice.

Only shower enclosures, panels, Truestone shower trays and bath screens are covered by the Lifetime Guarantee. Please contact the MERLYN sales team for more details.

Glass shattering and parts subject to wear are not covered by the Lifetime Guarantee.

For full details on all product ranges please contact MERLYN Showering on 0808 1011429 or log onto www.merlynshowering.com.

Trays shown in this catalogue are for illustrative purposes only.

Images are for illustration purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all showering heads in the brochure is for illustrative purposes only.

All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

Cleaning

It is important to clean your MERLYN shower door

- > and tray after every use. Wipe down all the glass
- > and metal parts with a soft cloth.
- > Do not allow lime scale to build up in hard water areas.
- > Ensure that any residual water on the glass is removed after every use.
- > Clean the glass regularly using soapy water.
- > Do not use abrasive products on any surfaces.
- > Install the enclosure in a well ventilated area.

Information and maintenance

Always read the instructions on the packaging, chrome is vulnerable to acid attack and some strong household cleaners including strong disinfectants, denture cleaners, hair dyes, wine making chemicals and photographic chemicals may contain acid. These materials may have a varying effect on the surface from black spots/streaks (which cannot be removed) to pitting the surface. Contact with these materials should be avoided.

Important shower tray information

- > It is up to the designer or installer to ensure that the tray and enclosure combination is arranged in such a way that water retention meets the customers needs.
- > The waste has the capacity to carry away 29L/Min. High powered systems may exceed this. Please check with the manufacturer.
- > Please ensure that the shower head is not positioned directly over the waste as this may restrict water flow rate.
- > Please ensure that the colour and size of shower tray are as per your order before installation.
- > You must inspect the product thoroughly before installation. Fitting the product is acceptance of quality.
- > The trays are handmade from natural material. Please allow for height variances due to manufacturing tolerances.
- > For open ended shower screens please consult your installer.
- > Shower trays must be fitted as per the fitting instruction. Deviation from the pre installation checks or fitting installation will void the guarantee.
- > When wet, the surface of the majority of shower trays will show an increase in the potential for slipping. This is particularly the case when soap, shampoo, bath oil etc. are used. It is important that designers, installers and users are aware of this.

Important

Although shower door and enclosure sizes are related to tray sizes it is important to note that most shower trays are tiled down to the rim, often over an 'up-stand'. The finished installation space may be less than the nominal tray size. Merlyn shower units are made to suit this remaining space.

Tray Finish min-max

The Tray Finish applies when fitting a door and a tray. These are the minimum and maximum dimensions that a shower door or enclosure will fit using standard wall profiles.

Tray finish

To find the correct Tray Finish dimension:

In a recess: Measure from the finished, tiled wall to the opposite finished, tiled wall.

In a corner: Measure from the finished, tiled wall to the edge of the tray.

Note: If the wall/walls are leaning in, this will further reduce your Tray Finish.

Adjustment


This is the min and max adjustment of the actual enclosure. These are the adjustment dimensions of the actual door excluding the tray. Therefore, these are the dimensions to follow when installing a enclosure in a wetroom application without a tray.

The guide below may be helpful in taking measurements to determine the shower door or enclosure size required. Dimensions given in this publication are in millimetres, are approximate and may vary with adjustment. They are subject to change without notice.

Please note that when a tray is fitted it is essential that the tray is level before any doors or enclosures are fitted.

Recess Location


Take the measurements after the tray is installed and the walls are tiled.



Bath Screens

- > Merlyn Bath Screens are not designed to fit on baths with stepped fronts, roll top rims or integral soap dishes.
- > Fitting of screen on baths which have raised head rests or shapes is not recommended.
- > There must be no items causing obstruction with the seal and bath, as any of the above may causeleaks.
- > When choosing your Bath Screen, please ensure that if your bath has bath handles, they do not interfere with the bath rim area where your screen will be placed.
- > When choosing an in-swing or folding Bath Screen, please ensure your swing area is not interfering with any brassware or internal shower features. Similarly, when choosing an out-swing, please ensure the out-swing area is free from any obstructions.
- > It is recommended the shower head position is situated on the same wall to which the Bath Screen is fixed and in the centre of the shower area.

Extension Profiles




10 Series Sliding Door

Order Code	Height
M108EXTSL	1950

M108EXTSL 1950

Series 10 extension profile: extra 20mm.
Sliding Door can only be used with one extension profile.




10 Series Quadrant

Order Code	Height
M108EXTQU	1850

M108EXTQU 1850

Series 10 extension profile: extra 20mm.




8 Series Frameless – Hinge and Quadrant Doors

Order Code	Height
A0614A0	2000

A0614A0 2000

8 Series Frameless extension profile: extra 20mm.




8 Series Frameless – Hinged Bifold Door

Order Code	Height
M8FBEXT20	1950

M8FBEXT20 1950


8 Series Frameless extension profile: extra 20mm.



8 Series Frameless - Pivot / Pivot & Inline

Order Code	Height
M8FBEXT20	1950

M8FBEXT20 1950




8 Series

Order Code	Height
M8EXT20	1950

M8EXT20 1950

8 Series extension profile: extra 20mm.




6 Series

Order Code	Height
M6EXT	1900

M6EXT 1900

Series 6 extension profile: extra 20mm.
No extension profile available for: wetroom panels.




MBOX

Order Code	Height
MBEXT1800	1800

MBEXT1800 1800

MBOX extension profile: extra 20mm.



MBOX

Order Code	Height
A0214B0	1900

A0214B0 1900

MBOX extension profile: extra 20mm.

UKCA, CE & EN Information

The UKCA (UK Conformity Assessment) mark on MERLYN enclosures is the new standard marking for products on the market in Great Britain (England, Wales and Scotland). It is a declaration that the product complies with GB designated standards.

The CE markings on MERLYN enclosures is a declaration that the product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

EU and GB legislation requires manufacturers to display either the UKCA mark for Great Britain and a CE mark for the EU and Northern Ireland on their product or packaging. It is an offence to place a product on the relevant market without a UKCA for Great Britain or CE marking for the EU market.

The manufacturer is legally responsible for ensuring that the product conforms to the requirements of both directives.

The European Commission thus refers to the CE marking as a "Passport" which allows products to be freely circulated within the EU single market. The UKCA marking allows products to move freely within Great Britain.

Often consumers will consider the UKCA and CE markings on a product as an indication of conformance to laid down minimum standards and therefore, a minimum level of safety which other products may lack. Both markings are often seen by consumers as a "Symbol of Safety."



UKCA CE	
UK Distributor: Merlyn (a division of NGM), Ladfield House, Station Rd, Winslow, Cheshire, SK9 1BU	Manufacturer: Merlyn Industries Limited, Unit 5 Purcellbank Ind. Estate, Killybeggy, Inisowen, B52 9P7L
19	
UKCA DOP: UKCATZ1.1 CE DOP: CETZ1.1	
Product Code here: (MER13)	
PH	
EN 14428	
CA/IR/DA	



MERLYN invests heavily in its product development and as such guarantees that its glass fully complies with regulations and is manufactured in accordance with BS EN 14428. The rigorous testing of the glass ensures that the endurance, stability and water retention criteria meet high industry standards.

New GB, EU and NI label

ISO Certification

MERLYN has implemented an Integrated Management System comprising of Quality Management, Environmental Management and Occupational Health and Safety Management. An Integrated Management System ensures the seamless integration of several different standards into a common system that meets the requirements of each of these standards. These certifications are proof of MERLYN's credibility but also to instil confidence in our potential clients that MERLYN will keep its promises.



Packaging

Packaging guide

Please note from our packaging guide the number of boxes your door will be supplied in, depending on its size and model. Side Panels are supplied in a separate, extra box. If the enclosure ordered is not listed in the guide, the product, installation guide and fixing kit are supplied in 1 box. Some products are handed, please state Right Hand (R) or Left Hand (L) when ordering.

Grey boxes denote location of installation guide and fixing kit



Due to our policy of continuous improvement, we reserve the right to amend prices, specifications and designs without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

10 Series Sliding Door



Fixed Flat Panel
Moving Panel (Door) Left or Right

10 Series 1 Door Offset Quadrant



Curved Fixed Panel Left or Right
Moving Panel (Door)
Fixed Flat Panel

10 Series 1 Door Quadrant



Curved Fixed Panel Left or Right
Moving Panel (Door)
Fixed Flat Panel

8 Series Frameless Hinge & Inline



Fixed Panel Left or Right
Moving Panel (Door)

*900 Hinge and Inline is supplied in one box

8 Series Frameless 1 Door Quadrant



Moving Panel (Door), Hinged Fixed Panel
Magnetic Fixed Panel

8 Series Frameless 1 Door Offset Quadrant



Moving Panel (Door), Hinged Fixed Panel
Magnetic Fixed Panel

8 Series 1 Door Quadrant



Fixed Panel
Moving Panel (Door)

8 Series 2 Door Quadrant



Fixed Panel
Moving Panel (Door)

8 Series 1 Door Offset Quadrant



Fixed Panel
Moving Panel (Door)

8 Series Sliding Door



Fixed Panel
Moving Panel (Door)

8 Series Infold Door & Inline Panel



Fixed Panel
Moving Panel (Door)

8 Series Walk In



Curved Fixed Panel, Straight Fixed Panel

6 Series 1 Door Offset Quadrant




Curved Fixed Panel, Straight Fixed Panel

6 Series Framless Hinge & Inline



Fixed Panel
Moving Panel with hardware

6 Series enclosures come in 1 box, with the exception of the 1 Door Offset Quadrant as noted and Sliding Doors of 1400mm or more.



Without
Mershield Stayclear

Natural glass surface.



With
Mershield Stayclear

Mershield Stayclear coating creates a smooth layer over the surface of natural glass, lowering surface friction, making it easier for water, soap and lime deposits to run off the glass.



MERSHIELD
STAYCLEAR

Mershield Stayclear

MERLYN treats every product in the Series Collection with a special protective coating to ensure the glass maintains its sparkle. This comes as standard as part of our on-going commitment to service. Mershield Stayclear acts as a protective coating which when applied to glass, helps the glass to remain shiny and new without the need for tiresome cleaning.

When cleaned correctly it helps prevent the build up of limescale and soap deposits making the shower glass “easy to clean”. Please see tips for keeping the glass in pristine condition on page 114.

MERLYN Lifetime Guarantee

MERLYN is committed to developing products that meet the highest demands in terms of design, performance and quality. Due to our extreme confidence in our products and our unrelenting desire to deliver only the highest level of service, we have created the MERLYN Lifetime Guarantee.

MERLYN shower enclosures are crafted and engineered for a lifetime.

For more about our MERLYN Lifetime Guarantee, contact our MERLYN customer service team on 056 779 1555

Register your MERLYN product:

To register your new MERLYN product for the Lifetime Guarantee, log on to www.merlynshowering.com and fill in your information.



LIFETIME
GUARANTEE

MERLYN™

Unit 8, Purcellsinch Industrial Estate, Dublin Road, Kilkenny, Ireland, R95 HP71.

T +353 56 779 1555 / F +353 56 779 1576

E sales@merlyn.ie / technical@merlyn.ie

www.merlynshowering.com



MERLYN™

The Collection

